

KDF

Sports Flooring Systems & Building Materials

SPORTGROUND-EX BICYCLE TRACK SYSTEM



KDF LTD (www.kdf.gr) is one of the most dynamic and export-oriented Greek companies (currently activated in more than 50 countries in 4 continents), based in Greece(EU) and U.A.E too, with production facilities and warehouses in both countries for acrylic and polyurethane materials.

We are experts in sports, industrial and decorative flooring products and systems, with huge experience in Europe, Africa, Asia, Middle East and India as well.

Our export horizon is expanding rapidly and our goal is to stand out as a model of flexibility and competitiveness. The company, being one of the pioneer companies in the sector of sports flooring systems and building materials and giving particular attention to providing a fully upgraded range of products and services, provides certified systems by **ITF, IAAF, EU norms, LNE, LABOSPORT, ISASPORT, to name but a few.**

Our systems are approved in many ministries like:

- Ministry of Education in U.A.E
- Ministry of Education in K.S.A
- Ministry of Education in Oman
- Ministry of Education in Kuwait and many other institutes like
- Oman Royal Police
- Aramco, K.S.A
- Musanada in U.A.E
- Municipality of Doha
- Municipality of Dubai, Abu Dhabi, Sharjah and many others institutions.

KDF goes far beyond trade, providing consultancy in marketing and also technical support all the way, from the costing till the finalization of the project. Operating under the requirements of ISO 9001/2015 for production, trade and also application, we make sure our products are first applied successfully at site by our own people before we launch them abroad.

Therefore, our systems have all stood the real life test in different climates, from Middle East till Russia, and this is one of our main assets, enabling us to provide full and vertical technical support from specifying to final application plus supervision when required or even full application and costing.

We invite you to discover a world of sports flooring expertise and solutions.

VIEW OUR NEW SPORTS CATALOGUE



INDICATIVE REFERENCE LIST OF PROJECTS

- 12 SCHOOLS IN U.A.E, MINISTRY OF EDUCATION(THROUGH VARIOUS CONTRACTORS) - 40000m² EPDM
Rubber flooring
- UNIVERSITY OF DAMMAM - KSA - 13000m² - Acrylic cushion floorings
- KING ABDULLAH BASE AIR DEFENSE - TAIF, KSA - 12600 m² - Running track
- KING FAHD UNIVERSITY OF PETROLEUM AND MINERALS-DHARAN, KSA-12400m²-Rubber outdoor flooring
- RUNNING TRACK - K.S.A- 11000 m² - Running track, POLTRACK SANDWICH system
- GEMS SCHOOL - DUBAI, U.A.E - 10000 m² - Running track
- PASARGRAD WHOLESALE MARKET-IRAN - 10000 m² - Decorative flooring
- YAS ISLAND, ABU DHABI, U.A.E - 10000m² Bicycle track
- ALEXANDRIA STADIUM - ALEXANDRIA, EGYPT - 8500 m² - Running track
- SALAM STREET & MINA ROAD, ABU DHABI, U.A.E - 8000m² Bicycle track, Sportground-Ex system
- KING FAHAD NAVAL BASE - JUBAIL, KSA - 8000m² - Running track
- MUNICIPALITY OF VELVENTO - KOZANI, GREECE - 8000m², Running track
- ABBHA, KSA - 7600m² - Running track
- MUNICIPALITY OF ZENICA - ZENICA, BOSNIA& HERZEGOVINA - 7500m², Poltrack Spraycoat, Running track
- ADNOC SCHOOLS - U.A.E - 7000m² - Safepol system
- ATLAS CENTER-BAM, IRAN - 7000 m² - Decorative flooring
- RUNNING TRACK - SUDAN - 7000 m² - Running track, POLTRACK SPRAYCOAT system
- CORNISH, JEDDAH, K.S.A - 6000m² Bicycle track Sportground-Ex system
- YOKOGAWA ELECTRIC CORPORATION-DHAHRAN TECHNO VALLEY-DAMMAM, KSA - 5500m²- Epoxy
antistatic floorings
- AMITY INTERNATIONAL SCHOOL - ABHU DHABI, U.A.E - 5500m², Poltrack Spraycoat, Running Track
- SHUQAIQ WATER AND ELECTRICITY COMPANY - JIZAN, KSA - 5400 m² - acrylic courts
- TALEEM UPTOWN SCHOOLS - DUBAI, UAE - 5400m²-Acrylic sports courts systems
- SAUDI AIR FORCE - KSA - 5250 m² - Acrylic coating elastoturf, running track
- RUNNING TRACK - K.S.A - 5000 m² - Running track, POLTRACK SANDWICH system
- AL HAMRA, RAS AL KHAIMAH, U.A.E - 5000m² Bicycle track, Sportground-Ex system
- AIRBASE IN TAIF - KSA - 5000 m² - Running track
- DEPARTMENT OF EDUCATION ASIR REGION - KHAMIS, KSA - 4500 m² - Running track
- SERVIA STADIUM - KOZANI, GREECE - 4500m², Running track
- COMMUNITY COLLEGE - KHAMIS, KSA - 4200 m² - Running track
- MULTIPLE RUNNING TRACKS - ALGERIA - 40000 m² - Running track, POLTRACK SPRAYCOAT system
- EMIRATES INTERNATIONAL SCHOOL - DUBAI, U.A.E - 4000m² - Safepol System, Playground flooring
- SPORTS CLUB CENTER GLIFADA - ATHENS, GREECE - 4000m²- Poltrack Spraycoat, Running Track
- HH KHALID BIN BANDAR - RIYADH, KSA - 3800 m² - Volleyball/basketball rubber courts
- ANATOLIA GOLLEGE - THESSALONIKI, GREECE - 3600m², Running track
- AIMARJAN ASLAND – PARTIAL - 3600m²- Poltrack Sandwich, Running Track
- RUNNING TRACK - ISRAEL - 3500 m² - Running track, POLTRACK SANDWICH system
- SPORTS CLUB CENTER KISSAMOS - CRETE, GREECE - 3200m²- Poltrack Sandwich, Running Track
- AL LUSAIL SPORTS CLUB - DOHA, QATAR - 3200m² - Jogging track
- SPORTS CLUB CENTER - SERVIA, GREECE - 3200m² - Poltrack Sandwich, Running Track

- KING KHALID UNIVERSITY - ABHA, KSA - 3100 m² - Running track
- SPORTS CLUB CENTER "PAPAGOU" - ATHENS, GREECE - 3000m²- Poltrack Sandwich, Running Track
- PANORAMA SPORTS COMPLEX - THESSALONIKI, GREECE - 3000m², Running track
- INDIAN ARMY - SAGAR, INDIA - 2800m²- Acrylic sports courts
- ALL SAINTS SCHOOL - MUMBAI, INDIA - 2700 m² - PU outdoor sports flooring and running track
- INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH-BHOPAL,INDIA-2700m²-Acrylic sports courts
- OUR OWN GOLF SCHOOL - 2700m²- Poltrack Spraycoat, RunningTrack
- AL RAYAN, QATAR - 2500 m² - Running track, POLTRACK SANDWICH system
- ALHOSN SPORTS COMPLEX - 2400 m² - Running track, POLTRACK SANDWICH system
- TEACHERS COLLEGE - ABHA, KSA - 2050 m² - Running track
- MUSAB BIN OMAIR BOYS SCHOOL - BIN OMRAN, QATAR - 2050 m² - PU outdoor sport flooring
- BURAIRAT SCHOOL - RAK, UAE - 2000 m² - Running track
- HADAYEK ALAHRAM CLUB - GIZA, EGYPT - 2000m², PU outdoor sports flooring, POLYFLEX PU-EX WET-POUR system
- AL SAILIYA BOYS SCHOOL - AL SAILIYA, QATAR - 2000 m² - Polyurethane, outdoor sport flooring
- KING KHALID UNIVERSITY - ABHA, KSA - 2000 m² - Volleyball/basketball rubber courts
- HH KHALID BIN BANDAR - RIYADH, KSA - 2000 m² - Volleyball/basketball rubber courts
- RAWDA RASHEED PRIMARY SCHOOL FOR BOYS - 2000 m²
- AL WAKAIR BOYS SCHOOL - AL WAKRAH, QATAR - 1950 m² - Polyurethane, outdoor sport flooring
- THE LAKE DISTRICT - PUNE, INDIA - 1950m²- Acrylic sports courts
- PRESIDENTIAL GUARD COMMANDM MAHAWI - ABU DHABI, UAE - 1900m² - Football court
- UNITED (SABIC) SPORTS CLUB - 1900 m² - Rubber flooring
- SHOOLS MINISTRY OF EDUCATION - KHAMIS, KSA - 1800 m² - Rubber flooring
- AL MAJAD AMPHITHEATER - SHARJA, UAE - 1800m² - Certified Jogging track
- QASSIM UNIVERSITY - KSA - 1800 m² - Polyurethane sports flooring
- AL QADSIYA MODEL INDEPENDENT SCHOOL - ALWAAB, QATAR - 1770 m² - PU outdoor sport flooring
- AL WAHDA SPORT ACADEMY CLUB - ABU DHABI, UAE - 1700 m² - Acrylic sports system
- ALSARH SCOOLS OF CIVIL - RIYADH, KSA - 1650m² - PU glue/Socccer field
- GD GOENKA PUBLIC SCHOLL - PURNIA, INDIA - 1630m²- Acrylic sports courts
- SPA RESORT DERENIVSKUPIA KI - UZHGOROD, UKRAINE - 1600 m² - Flexfloor-ex system, volleyball court
- THE MILITARY HOSPITAL - RIYADH, KSA - 1560 m² - Volleyball/basketball rubber courts
- THE MILITARY HOSPITAL - RIYADH, KSA - 1560 m² - Pu glue-PU sports flooring
- AL FORSHAN SPORTS CENTRE - ABU DHABI, U.A.E - 1500m² - Smartfloor system, Acrylic flooring
- SCHOOL IN AL WAKRA CITY - DOHA, QATAR - 1500 m² - Playground flooring
- IRAQ ARMY CAMP - IRAQ - 1500m² - Acrylic flooring in 2,2mm
- SCHOOL IN AL WAKRA CITY - DOHA, QATAR - 1500 m² - Playground flooring
- PROJECT GREEN LAND - DUBAI, UAE - 1500 m² - Jogging track
- UP TOWN SCHOOL - 1500m²- Poltrack Spraycoat, RunningTrack
- INDIAN AIR FORCE - ALLAHABAD, INDIA - 1450m²- Acrylic sports courts
- DUBAI MODERN HIGH SCHOOL - DUBAI, UAE - 1375 m² - Acrylic sports courts
- PROJECT ECOGREEN - DUBAI, UAE - 1350 m² - Jogging track
- POLICE COMPLEX BARRACKS NIZWA - OMAN- 1300 m² - Colorflex, PU sport flooring
- POLICE COMPLEX BARRACKS AL AJAIZ - OMAN - 1300 m² - Colorflex, PU sport flooring

-POLICE COMPLEX BARRACKS KATMATMILAH SITE - OMAN- 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS SUWAIQ - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS AL KAMIL - OMAN - 1300 m² - Colorflex, PU sport flooring
-PLAYGROUND FLOORING - BAHRAIN - 1300m² - Safepol system
-POLICE COMPLEX BARRACKS SHINAS - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS BHALA - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS MUDHAIBI - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS THUMRAIT - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS AL KHOUDH - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS MAHDAAH - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS BID BID - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS AL KHABOORA - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS DHANK - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS HAFEET - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS AUQAD - OMAN - 1300 m² - Colorflex, PU sport flooring
-POLICE COMPLEX BARRACKS SUMAIL - OMAN - 1300 m² - Colorflex, PU sport flooring
-ALHALAFI BREAK - RIYADH, KSA - 1276 m² - Rubber flooring
-GI-DHOFAR BEACH RESORT & SPA - OMAN - 1225 m² - Colorflex, PU sport flooring
-RLS BASIC EDUCATION SCHOOL SOHAR - OMAN - 1225 m² - Colorflex, PU sport flooring
-MIXED BASIC EDUCATION SCHOOL AL QABIL - OMAN - 1225 m² - Colorflex, PU sport flooring
-BOYS BASIC EDUCATION SCHOOL BARKHA - OMAN - 1225 m² - Colorflex, PU sport flooring
-GIRLS BASIC EDUCATION SCHOOL MUDHAIBI - OMAN - 1225 m² - Colorflex, PU sport flooring
-MIXED BASIC EDUCATION SCHOOL AL AMERAT - OMAN - 1225 m² - Colorflex, PU sport flooring
-UMSALAMA GIRLS SCHOOL - AL RAYYAN, QATAR - 1200 m² - Polyurethane, outdoor sport flooring
-SHERATON PARK - DOHA, QATAR - 1200 m² - Playground flooring
-RAWDA BIN JASSIM SCHOOL - AL AZIZIYAH, QATAR - 1200 m² - Polyurethane, outdoor sport flooring
-GEMS WESTMINISTER SCHOOL - DUBAI, U.A.E - 1200 m² - Acrylic sports courts
-SILVER SPORTS CLUB - INDIA - 1200m²- Acrylic sports courts
-OUR OWN SCHOOL - SHARJA, U.A.E - 1200m² - Acrylic sports courts
-SHARJAH FOOTBALL CLUB - SHARJAH, UAE - 1200 m² - Polyurethane basketball courts
-SHERATON PARK - DOHA, QATAR - 1200 m² - Playground flooring
-SYMBIOSIS COLLEGE - INDIA - 1180m²- Acrylic sports courts
-PROFESSOR ABDULAZIZ ANQARI - RIYADH, KSA -1150m² - PU glue/Socccer field
-AL SAQID ISLAMIC ENGLISH SHCOLL-DUBAI, UAE-1100m²- Acrylic flooring, WET-POUR POLYFLEX AEL-EX
-FIRST POINT SCHOOLS - DUBAI, UAE - 1100m² - Acrylic sports courts
-MAADI BRITISH SCHOOL- EGYPT - 1100m2, Multipurpose court, COLORFLEX system
-DUBAI AMERICAN ACADEMY - DUBAI, UAE - 1080 m² - Acrylic sports court
-PRELUDE PUBLIC SCHOOL - AGRA, INDIA - 1070m²- Acrylic sports courts
-ALMGBAL BREAK - RIYADH, KSA - 1050 m² - Rubber playground
-BANIYAS CLUB AND AL AIN ENGLISH SPEAKING SCHOOL - ABU DHABI, UAE - 1000m² - Acrylic flooring
-MINISTRY OF EDUCATION - DAMMAM, KSA - 1000 m² - PU indoor multipurpose sports flooring
-SHEIKH OBEID MAKTHOUM PALACE - 1000m² - Outdoor polyurethane flooring
-INDIAN AIR FORCE - AGRA, INDIA - 1000m²- Acrylic sports courts
-INDIAN AIR FORCE - LUCKNOW, INDIA - 1000m²- Acrylic sports courts

- MULTIPURPOSE POLYURTEHANE INDOOR COURTS - F.Y.R.O.M** - 1000m² - Polyflex PU-In system
- SODIC PROJECT - EGYPT** - 1000m², Multipurpose court, COLORFLEX system
- INDIAN AIR FORCE - VARANASI, INDIA** - 1000m² - Acrylic sports courts
- INTERNATIONAL SCHOOL OF CREATIVE SCHIENCE - SHARJAH, U.A.E** - 1000m² - Safepol System
- INDIAN AIR FORCE - BIHTA, INDIA** - 1000m² - Acrylic sports courts
- INDIAN AIR FORCE - DARBHANGA, INDIA** - 1000m² - Acrylic sports courts
- AL AIN INDIAN SCHOOL - AL AIN, UAE** - 1000m² - Football court
- DUBAI SCHOLRAS PRIVATE SCHOOL - DUBAI, U.A.E** - 1000m² - Acrylic flooring in 2,2mm
- COMMUNITY COLLEGE - KHAMIS, KSA** - 940 m² - Polyurethane indoor multipurpose sports flooring
- GEMS METROPOLE SCHOOL - DUBAI, U.A.E** - 900 m² - Playground flooring
- MINISTRY OF EDUCATION - ABHA, KSA** - 900 m² - Polyurethane indoor multipurpose sports flooring
- BAB AL SHAMS SPA HOTEL - DUBAI, UAE** - 900m² - Football court
- KING KHALID UNIVERSITY - ABHA, KSA** - 820 m² - Polyurethane indoor multipurpose sports flooring
- SCHOOL IN AL WAKRA CITY - DOHA, QATAR** - 800m² - Polyurethane sports flooring
- SULTAN MANOR - RIYADH, KSA** - 800 m² - Polyurethane multipurpose sports flooring
- MINISTRY OF EDUCATION - AL KHARIZ, KSA** - 800 m² - PU indoor multipurpose sports flooring
- DUBAI ENGLISH SPEAKING COLLEGE - DUBAI, UAE** - 783m² - Acrylic flooring, SPORTFLOOR-EX, HARD COURT
- SINGAPORE AIRLINES - SINGAPORE** - 735m² - PU indoor sports flooring
- AL DAJAN COMPANY - GASIM, KSA** - 722 m² - Polyurethane sports flooring/Tennis court
- SELECTIVE GOVERNMENT HIGH SCHOOL - EGYPT** - 720m², Outdoor sports flooring
- INDIAN AIR FORCE - AHMEDABAD, INDIA** - 720m²- Acrylic sports courts
- FITNESS TIME - FAYSALIA, DAMMAM, KSA** - 700 m²-PU indoor multipurpose sports flooring/running track
- FITNESS TIME YASMEEN - RIYADH, KSA** - 700 m² - PU indoor multipurpose sports flooring/running track
- FERRARI WORLD - ABU DHABI, UAE** - 700m² - Playground flooring
- FITNESS TIME JUNIOR - RIYADH, KSA** - 700 m² - PU indoor multipurpose sports flooring/running track
- FITNESS TIME - OLAYA RIYADH, KSA** - 700 m² - PU indoor multipurpose sports flooring/ running track
- FITNESS TIME WAHA - RIYADH, KSA** - 700 m² - PU indoor multipurpose sports flooring/running track
- FITNESS TIME, NOOR BRANCH - DAMMAM, KSA** -700 m² - PU indoor sports flooring and running track
- FITNESS TIME, ALAMEEN BRANCH - DAMMAM, KSA** - 700 m² - PU indoor sports flooring and running track
- FITNESS TIME, PLUS RIYADH - RIYADH, KSA** - 700 m² - PU indoor sports flooring and running track
- FITNESS TIME, SALAMA BRANCH BRO & FITNESS - JEDDAH, KSA** - 700 m² - PU indoor sports flooring
- FITNESS TIME, 40th BRANCH - JEDDAH, KSA** - 700 m² - PU indoor sports flooring and running track
- NASR CLUB- EGYPT** - 700m², Multipurpose court, POLYFLEX WET-POUR system
- HUREL DOUBLE 3 - RAS AL KHAIMH, KSA** - 700 m² - Shockpad plus acrylic coatings
- THE SUSTAINABLE CITY - DUBAI, U.A.E** - 700 m² - Acrylic flooring
- EMAAR - EMIRATES HILLS 2 - DUBAI, U.A.E** - 700m² - Basketball court, Acrylic flooring
- AIRFORCE SURBOTO PARK - NEW DELHI, INDIA** - 680 m² - Polyurethane outdoor sports flooring
- INDIAN ARMY - DHRANGDHARA, INDIA** - 670m²- Acrylic sports courts
- MT.SAIN PATRICK ACADEMY - INDIA** - 665m²- Acrylic sports courts
- REGIONAL HQ AT BURAIMI - OMAN** - 650 m² - Colorflex, PU sport flooring
- ROYAL OMAN POLICE TASK FORCE RUSTAQ - OMAN** - 650 m² - Colorflex, PU sport flooring
- ROYAL OMAN POLICE TASK FORCE LIWA - OMAN** - 650 m² - Colorflex, PU sport flooring
- ROYAL OMAN POLICE TASK FORCE AL SALIL - OMAN** - 650 m² - Colorflex, PU sport flooring
- ROYAL OMAN POLICE TASK FORCE IBRI - OMAN** - 650 m² - Colorflex, PU sport flooring

-ROYAL OMAN POLICE TASK FORCE IBRA - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL SUR - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL DUKUM - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL BURAIMI - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL NIZWA - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL SUWAIQ - OMAN - 650 m² - Colorflex, PU sport flooring
-ABU DHABI MUNICIPALITY - ABU DHABI , UAE - 650 m² - Acrylic flooring
-ROYAL OMAN POLICE TASK FORCE AL SALALAH - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE AL BARKHA - OMAN - 650 m² - Colorflex, PU sport flooring
-ROYAL OMAN POLICE TASK FORCE KHOUDH - OMAN - 650 m² - Colorflex, PU sport flooring
-MOHAMMED JASSIM M AL THANI SCHOOL - UMSALALALI, QATAR - 620 m² - PU outdoor sport flooring
-QATAR GEMS SCHOOL - DOHA, QATAR - 615 m² - Polyurethane sports flooring
-VAISHNO DEVI - DELHI, INDIA - 608 m² - Polyurethane outdoor sports flooring
-INDIAN ARMY - AGRA, INDIA - 600m²- Acrylic sports courts
-THE INTERNATIONAL SCHOOL - AGRA, INDIA - 600m²- Acrylic sports courts
-INDIAN ARMY - JHANSI, INDIA - 600m²- Acrylic sports courts
-THE SUSTAINABLE CITY - DUBAI, U.A.E - 600 m² - Safepol system
-AMITY SCHOOL, JUMEIRAH ISLAND - DUBAI, UAE - 600 m² - Safepol system
-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - 600 m² - Flexfloor system
-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - 600 m² - Polyflex Ael-EX system
-NEW DUBAI BRADENTON SCHOOL- DUBAI, UAE - 570 m² - Acrylic sports courts
-DUBAI SILICON OSIS-CENTRAL PARK, DSO - DUBAI, UAE - 560 m² - Jogging track
-MPS WORLD SCHOOL - AGRA, INDIA - 560m²- Acrylic sports courts
-AL WUKAIR GIRLS SCHOOL - AL WAKRAH, QATAR - 550 m² - Polyurethane, outdoor sport flooring
-BBPS - DELHI, INDIA - 512 m² - Polyurethane outdoor sports flooring
-IVY STATE - PUNE, INDIA - 511m²- Acrylic sports courts
-KUNAL ICONIA - INDIA - 510m²- Acrylic sports courts
-AMERICAN SCHOOL OF DUBAI - DUBAI, UAE - Acrylic sports courts
-ETIHAD MUSEUM - JUMEIRAH, DUBAI, UAE - Rubber flooring
-CARPARKING - ABU DHABI, UAE - Acrylic flooring
-DUBAI MILLENIUM SCHOOL - QUSAIS, UAE - Acrylic sports courts
-AMERICAN UNIVERSITY - DUBAI, UAE – Acrylic outdoor sports flooring
-RAK ACADEMY - RAK, UAE - Acrylic flooring
-ISCS - SHARJA, UAE - Acrylic flooring
-THE INTERNATIONAL SCHOOL OF CHOUEIFAT - AJMAN, U.A.E - Sportground-Ex system
-THE KINDER GARDEN STARTERS - DUBAI, U.A.E - Safepol system
-AL ZAHIA PROJECT - SHARJA, UAE - Safepol system
-WADY DEGLA SHERATON CLUB - CAIRO, EGYPT - Acrylic sports flooring
-GEMS WELLINGTON SCHOOL - DUBAI, U.A.E - Safepol system
-JUMEIRAH RETAIL DEVELOPMENT - JUMEIRAH, DUBAI, UAE - Safety rubber flooring
-MR.ABDULRHMIN - JUBAIL, KSA - Rubber playground
-GEMS WESTMINISTER SCHOOL - DUBAI, U.A.E - Safepol system
-POLYURETHANE INDOOR SPORTS COURT - TIRANA, ALBANIA - Polyflex PU-In system
-MULTIPURPOSE COURTS - ODESSA, UKRAINE - Rubber flooring

-MULTIPURPOSE COURTS - ZHOVKVA, UKRAINE - Rubber flooring

-MUNICIPAL TENNIS CLUB - PATRA, GREECE - Flexfloor-EX system, Acrylic sports courts

-INDIAN AIR FORCE - GORAKHPUR, INDIA - Acrylic sports courts

-INDIAN AIR FORCE - BAREILLY, INDIA - Acrylic sports courts

-INDIAN ARMY - BABINA, INDIA - Acrylic sports courts

-ADAM AIRBASE PACKAGE 8, OMAN - Colorflex, PU sport flooring

-GOLD GYM - KOLKATTA, INDIA - Polyurethane indoor sports flooring

-MINISTRY OF FOREIGN AFFAIRS - ABU DHABI, UAE - Polyurethane flooring

-SHRJAH SPORTS CLUB - SHARJAH, UAE - Polyurethane flooring

-GEMS WINCHESTER SCHOOL - AL BARSHA SOUTH, UAE - Acrylic sports system

-HOTEL DOUBLE 3 - RAS AL KHAIMAH, UAE - Prefabricated shock-pad 4mm plus acrylic coatings

-AL WAHDA CLUB - ABU DHABI, UAE - Rubber flooring

-ADJD MAIN BUILDING LANDSCAPE PROJECT - ABU DHABI, UAE - Rubber flooring

-KADEEJ AL KURBA SCHOOL - ABU DHABI, UAE - Rubber flooring

-INTERNATIONAL SCHOOL OF CREATIVE SCIENCE - SHARJA, U.A.E - Flexfloor system/Outdoor Multipurpose court

-ENVIRO, VATIKA HOTELS PVT.LTD - GURGAON, INDIA - Acrylic sports flooring

-ASHIANA - BHUBANESHWAR, INDIA - Acrylic sports flooring

-TCS, ADIBATLA - HYDERABAD, INDIA - Acrylic sports flooring

-IPS, ERODE - CHENNAI, INDIA - Acrylic sports flooring

-LIONS GATE - MUMBAI, INDIA - Acrylic sports flooring

-MORNING GLORY INFRA LIMITED - KANPUR, INDIA - Acrylic sports flooring

-NAMBIAR - BANGALORE, INDIA - Acrylic sports flooring

-PATHWAYS - GURGAON, INDIA - Acrylic sports flooring

-WELHAMS GIRLS SCHOOL - DEHRADUN, INDIA - Acrylic sports flooring

-WOODDUCK COMMERCIAL CENTER- IRAN - Industrial flooring

-ARABIAN RANCHES by EMAR - DUBAI, U.A.E - Playground flooring

-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - Playground flooring

-NORTH LONDON COLLEGIATE SCHOOL - DUBAI, U.A.E - Playground flooring

-RAK MODERN SCHOOL - RAS AL KHAIMAH, U.A.E - Playground flooring

-GIIS/GLOBAL INDIAN INTERNATIONAL SCHOOL - RAS AL KHAIMAH, U.A.E - Playground flooring

-MINISTRY OF EDUCATION, NAD AL HAMAR BOYS SCHOOL - DUBAI, U.A.E - Playground flooring

-K.G. KIDS SCHOOL - AALI, BAHRAIN - Playground flooring

-SABIC BEACH CAMPS PROJECT - JUBAIL, K.S.A - Outdoor sports flooring, artificial grass.

-MINISTRY OF EDUCATION, MIZHER GIRLS SCHOOL - DUBAI, U.A.E - Playground flooring

-AL SHIMAL PARK - DOHA, QATAR - Playground flooring

-UM SELAL PARK - DOHA, QATAR - Playground flooring

-AL KABAN PARK - DOHA, QATAR - Playground flooring

-GEMS METROPOLE SCHOOL - DUBAI, U.A.E - Hard court system/Outdoor Multipurpose court

-ARABIAN RANCHES by EMAR - DUBAI, U.A.E - Acrylic Outdoor Tennis and Basketball courts

-RAK MODERN SCHOOL - RAS AL KHAIMAH, U.A.E - Flexfloor system

-GIIS/GLOBAL INDIAN INTERNATIONAL SCHOOL - RAS AL KHAIMAH, U.A.E - Acrylic system

-AVALON HEIGHTS - AJMAN, U.A.E - Acrylic floorings

-DELHI PRIVATE SCHOOL - DUBAI, U.A.E - Acrylic flooring

-ROYAL COMMISSION SCHOOL - JUBALI, KSA - Acrylic sports flooring

- FITNESS TIME PRO - AL AHSA BRANCH - KSA** - Flexfloor, Basketball court
- FITNESS TIME PRO - MAKKAH SHARAIE - KSA** - Flexfloor, Basketball court
- BIN HAM - AL AIN, UAE** - Polyurethane flooring
- SHAMMA BINT MOHAMMED SHOOL - AL AIN, UAE** - Polyurethane flooring
- ABDULLAH BIN OTAIBA - ABU DHABI, UAE** - Polyurethane flooring
- LIWA INTERNATIONAL SCHOOL - AL AIN, U.A.E** - Colorflex outdoor sport system.
- ZOHOUR KG - MANAMA, BAHRAIN** - Polyurethane sports flooring
- RAWDA RASHED - QATAR** - Polyurethane, outdoor sport flooring
- SAAD BIN ABI WAQAS SCHOOL - AL RAYYAN, QATAR** - Polyurethane, outdoor sport flooring
- FITNESS TIME PRO - MADINS RING ROAD BRANCH - KSA** - Flexfloor, Basketball court
- AGRA CHAIN - AGRA, INDIA** - Acrylic sports flooring
- SUNWORLD - NOIDA, INDIA** - Acrylic sports flooring
- SSN INVESTMENTS PRIVATE LIMITED, FRIENDS COLONY - DELHI, INDIA** - Acrylic sports flooring
- AJNARA - NOIDA, INDIA** - Acrylic sports flooring
- BRIGHT RIDERS SCHOOL - ABU DHABI, UAE** - Running track, Acrylic sports court
- OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E** - Poltrack Spaycoat system
- NCC - JAIS, INDIA** - Acrylic sports flooring
- ALPHA FOUNDATION FOR EDUCATION & RESEARCH - TRICHIRAPALLI, INDIA** - Acrylic sports flooring
- PUSHPANJALI FARMS - NEW DELHI, INDIA** - Acrylic sports flooring
- M3M - MERLIN GURGAON, INDIA** - Acrylic sports flooring
- FOOT COURT - EGYPT** - Running track, POLTRACK SPRAYCOAT system
- FITNESS TIME ANDALUS BRANCH - JEDDAH, K.S.A** - Acrylic sports flooring, FLEXFLOOR SYSTEM
- ST.JOSEPHS WOMENS COLLEGE - ALLEPPEY, KERALA, INDIA** - Polyurethane outdoor sports flooring
- WADY DEGLA LOTUS PROJECT - CAIRO, EGYPT** - Acrylic sports flooring
- RAILWAY SPORTS GROUND - GUNTAKAL, ANDRA PRADESH, INDIA** - Acrylic sports flooring

PHOTOGRAPHS OF PROJECTS



LABOSPORT CERTIFICATE FOR SPORTGROUND-EX SYSTEM



TEST REPORT

15-0013IT-P

Issued on March 18th 2015

CLIENT

KATASKEVES DAPEDON LTD

PRODUCT NAME

SYSTEM SPORTGROUND 2mm

TYPE

BICYCLE TRACK FLOORING

Test according to:

**UNI EN 13036-4:2011 Road and airfield surface characteristics. Test methods. Method for measurement of slip/skid resistance of a surface:
The pendulum test**

**UNI EN 14836:2006 Synthetic surfaces for outdoor sports areas.
Exposure to artificial weathering. 340nm**

This report may not be used for commercial purposes unless it is reproduced in its entirety.

The results are valid only for the submitted samples as described in this report.



CYCLING TRACKS

SPORTGROUND-EX

Outdoor resilient medium-hard acrylic flooring system ideal for surrounding areas in sports grounds, cycling tracks, parks, pathways etc.

Combination of wet-pour acrylic coatings in total average thickness of 2.2mm.

Certified system by LABOSPORT Institute.



Steps:

1. RITIVEX R LIQUID 1102 -Acrylic primer.


Used as primer of acrylic coatings, such as **ELASTOSPORT 853** or **SUPER ELASTOCOAT 842**. Applied by airless sprayer or brush.

2. ELASTOSPORT 853 - Acrylic, one component, smoothing and repairing wet-pour resurfacer for sports floors systems.

Consists of acrylic resins, quartz sand and specials improver. **ELASTOSPORT 853** is applied by squeegee on dry compact asphalt to seal the porosity and smooth out the surface before the application of **CORRIDOL 864**. Highly resistant to adverse weather conditions (snow, frost, heat waves etc.) after drying.

3.CORRIDOL 864 - Acrylic, slip-resistant coating for outdoor surfaces.

It is applied by squeegee on waterproof, smooth, concrete surfaces, without rising humidity issues, or asphalt surfaces. Prior application of **ELASTOSPORT 853** is recommended to fill in and smooth out the underlying substrate. Highly resistant to adverse weather conditions (snow, frost, heat waves etc.) after drying.



Description	Consumption
RITIVEX R LIQUID 1102 - Acrylic primer.	0.2-0.3kg/m ² for 1 layer
ELASTOSPORT 853 - Acrylic, one component, smoothing and repairing wet-pour resurfacer for sports floors systems.	2kg/m ² for 2 layers depending on the porosity of the asphalt substrate
CORRIDOL 864 - Acrylic, slip-resistant coating for outdoor surfaces.	1.5kg/m ² for 3 layers

SYSTEM SPORTGROUND-EX

Total thickness 2,2 mm

CERTIFIED SYSTEM BY LABOSPORT



Outdoor resilient, medium-hard acrylic flooring system ideal for cycling tracks, surrounding areas in sports grounds, parks, pathways etc. Combination of wet-pour acrylic coatings in total average thickness of 2.2 mm.

Steps :

1. **RITIVEX R LIQUID 1102 - Acrylic primer.** Used as primer of acrylic coatings, such as ELASTOSPORT 853 or SUPER ELASTOCOAT 842. Applied by airless sprayer or brush.
2. **ELASTOSPORT 853 - Acrylic, one component, smoothing and repairing wet-pour resurfacer for sports floors systems.** Consists of acrylic resins, quartz sand and specials improver. ELASTOSPORT 853 is applied by squeegee on dry compact asphalt to seal the porosity and smooth out the surface before the application of CORRIDOL 864. Highly resistant to adverse weather conditions (snow, frost, heat waves etc.) after drying.
3. **CORRIDOL 864 - Acrylic, slip-resistant coating for outdoor surfaces.** It is applied by squeegee on waterproof, smooth, concrete surfaces, without rising humidity issues, or asphalt surfaces. Prior application of ELASTOSPORT 853 is recommended to fill in and smooth out the underlying substrate. Highly resistant to adverse weather conditions (snow, frost, heat waves etc.) after drying.

Preparation – Application

Applied only on dry asphalt and concrete surfaces (over 30 days old from date of placement) without rising humidity issues and free of materials that might prevent bonding e.g. dust, loose particles, grease etc. The success in the application depends on the right preparation of the underlay and use of the material.

- **Good, dry** cleaning of the surface from dust and residues with vacuum cleaner and squeegees.
- Priming of the surface with joining resin **RITIVEX 1102** for the proper adhesion on the sub-floor. Application of one or more layers until the surface is saturated with brush or airless sprayer. Avoid the creation of puddles of the material. Consumption: 200-300gr/m² in two layers, depending on the absorption of the underlay.
- When the primer begins to dry (approximately 1 hour depending on the ambient temperature), follows the application of acrylic pore filler **ELASTOSPORT 853** for sealing the porosity of the subfloor in 2 or 3 crossing layers by squeegee. Consumption: 2kg/m² for 2 layers.

- As soon as the acrylic pore filler **ELASTOSPORT 853** dries (24 hours at 23°C), follows the application of acrylic hard coating **CORRIDOL 854** in 3 crossing layers.
- Depending on the ambient temperature acrylic coating **CORRIDOL 854** is diluted with 3-4% water, prior to application, in order to achieve better fluidity. It is applied in 1mm total thickness by squeegee. The next layer follows the other after the previous starts to dry. Consumption : 1,5 kg/m² for 3 layers.

Important Remarks

- In case of extremely rough and sharp cement or asphalt surfaces it is recommended grinding of the surface with a mosaic machine, sandblast before the application of **ELASTOSPORT 853**.
- **Acrylic coating CORRIDOL 854** should not be applied in more than 0,5 kg/m² per layer. In case of high temperature during summer, layers thicker than 0.5 mm should be avoided because the material may crack due to the rapid evaporation of water. Lining thickness more than 0,5 mm is achieved only by repeated layers.
- During summer or during temperatures over 40 degrees, ideal time for the application of **SPORTGROUND SYSTEM** is between 22:00 and 09:00 and the minimum bearing temperature during application and drying should be over 10 C.
- The freshly coated surface should be protected from high temperatures, wind, rain and frost for at least the first 24 hours.

Substrate

Asphalt is the safer subfloor for sport floorings for sure and must be always preferred than concrete surfaces.

A. Asphalt Substrate

The asphalt must have a slope of 0.7-1% and must dry for at least 30 days so that all solvents from the asphalt can evaporate.

The asphalt sub-floor should be applied on well compacted 150mm road base sub-floor and asphalt should be laid in one layer (and not 2) in 6 to 8cm with fine and coarse aggregates (up to 15mm granulometry) like the kind of asphalt used in road construction.

So, new road-grade asphalt will have to be laid (minimum 60mm) in one layer containing coarse aggregates and then mature for 30 days at least, before any application takes place on top of the asphalt to avoid bubbles on the final layer of the sport or rubber floorings.

	Fine asphalt base in thickness of 6cm with very fine aggregates by finisher
	Asphalt primer
	Good compaction by vibration
	Fine gravel 10cm
	Gravel stone in thickness of 15cm


B. CONCRETE SURFACES

Concrete surface must be power-trowelled without cracks and must be smooth with a slope of 0.7-1% and humidity under 4% in 10cm depth of concrete.

Concrete must also be **dry at least for 40 days** and then the application takes place if there is no rising humidity for the sub-floor. Before the application takes place, there must be proper grinding of the surface by a grinding machine to open the pores accordingly and also a measurement by special instrument to measure humidity on the surface and in 10cm under the surface.

Generally concrete is a risky sub-floor and there may be problems with rising humidity, especially in areas where the sea level is really high and when the sea is close or in areas near greenery.

Always make expansion joints in large areas of concrete, in order to avoid uncontrollable cracks and failures.
Joints should be every 25 square meters creating a grid of 5x5 meters or close to that.



<u>SUBSTRATE REQUIREMENTS</u>	Concrete quality	at least C20/25
	Age:	at least 40 days
	Moisture content:	below 4%

Tools:



Colors: Following colorchart.



A1




A2



A3




A4



A5



A6



A7



A8



A9



A10



A11



A12

The colors may vary slightly from the original due to digital representation.



A13



A14



A15



A16



A17



A18



A19



A20



A21



A22



A23



A24

The colors may vary slightly from the original due to digital representation.

RITIVEX R LIQUID 1102

ACRYLIC, ADHESIVE RESIN FOR MULTIPLE USES

GENERAL CHARACTERISTICS

- Acrylic, adhesive, joining resin, water - based.
 - It is the suitable primer before the application of **ELASTOSPORT 853, ELASTOTURF 851 and CORRIDOL 864** on athletic courts.
 - It is used mainly as primer on asphalt and as primer for joining old and new concrete and as a primer on surfaces, before over coating them with concrete paints, emulsion paints, or cementitious coatings.
 - **Ritivex R LIQUID 1102** is applied in thin films.
-

TECHNICAL DATA

Appearance:	Water emulsion
Colors:	White
Density:	1.0-1.1 kg/l at 25 °C
Viscosity:	15-45 mPa sec at 25°C
Temperature for the application and drying of the material:	10 – 40°C

CONSUMPTION

200-400 gr/m² depending on the type, roughness and absorbency of the underlay.

PACKAGING

Supplied in barrels and drums.

STORAGE

One year in unopened containers in cool and dry places, out of sunlight, with minimum temperature 5°C and maximum temperature 30°C.

CAUTION

The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.

For more information consult the safety data sheet.

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.

ELASTOSPORT 853

REPAIRING ACRYLIC RESURFACER FOR ATHLETIC COURTS

GENERAL CHARACTERISTICS

ELASTOSPORT 853 is acrylic-based, one-component resurfacer for basketball, tennis, volleyball and handball courts.

- Smoothens and upgrades rough courts in two or more layers depending on the porosity of the flooring
- Minimizes the cost of reparation of sports grounds
- Applied easily without prior experience. Water can be added gradually (3-5%) per weight
- In case of athletic courts, **ELASTOSPORT 853** should be covered next day with elastic coating for sport grounds **ELASTOTURF 851** or **SUPER ELASTOCOAT 842** while in case of surrounding areas in stadiums, traffic education parks, corridors etc should be covered with **CORRIDOL 864**

Provides:

- Safe game
- Perfect bounce of the ball
- Resistance to weather conditions

SUBSTRATE REQUIREMENTS

Concrete quality:	at least C20/25
Age:	at least 30 days
Moisture content:	below 4%

TECHNICAL DATA

Basis:	one-component acrylic resins, fillers
Appearance:	viscous liquid
Colors:	beige-off-white
Viscosity:	35.000-45.000 mPa s at 25°C
Density:	1.75 - 1.85 Kg/Lt
Temperature for the application and drying of the material:	10 – 40°C after 1 day at 25°C
Walkability:	

PREPARATION-APPLICATION

Applied only on dry surfaces. Protected from arising humidity and free of materials that might prevent bonding e.g. dust, loose particles, grease etc. The success in the application depends on the right preparation of the underlay and use of the material.

- **Good, dry** cleaning of the surface from dust and residues with vacuum cleaner or air blower and squeegees.
- Priming of the surface with joining resin **RITIVEX 1102** for the proper adhesion of the material. Application of one or two layers until the surface is saturated. Avoid the creation

- of puddles of the material.
- When the primer is dry (approximately 1 hour depending on the ambient temperature), follows the application of **ELASTOSPORT 853**.
 - **ELASTOSPORT 853** is applied in two or more layers, depending on the desirable thickness and the roughness and absorbency of the surface. Each new layer is applied after the previous one has dried.
-

<u>CONSUMPTION</u>	2-3 kg/m ² in two or three layers, depending on the porosity of the surface
---------------------------	--

<u>APPLICATION TOOLS</u>	Squeegee. Tools should be cleaned with WATER immediately after use.
---------------------------------	--

<u>PACKAGING</u>	Supplied in barrels of 200Kg.
-------------------------	-------------------------------

<u>STORAGE</u>	12 months in unopened containers in dry places with minimum temperature 5°C and high temperature 30°C (avoid sunlight).
-----------------------	---

<u>REMARKS</u>	<ul style="list-style-type: none">- In case of extremely rough and sharp cement or asphalt surfaces it is recommended grinding of the surface with a mosaic machine before the application of ELASTOSPORT 853.- Our recommendation is that the asphalt subfloor should be applied on well compacted 150 mm road base subfloor and asphalt should be laid in one layer (and not 2) in 6 to 8 cm with fine and coarse aggregates (up to 15mm granulometry) like the kind of asphalt used in road construction.- So, new road-grade asphalt will have to be laid (minimum 60mm) in one layer containing coarse aggregates and then mature for 30 days at least, before any application takes place on top of the asphalt to avoid bubbles on the final layer of the sport or rubber floorings.- Application and drying of ELASTOSPORT 853 must take place during cool hours. During temperatures over 38 C, ideal time for the application of the material is between 22:00 - 9:00 a.m. while the minimum bearing temperature during application and drying should be 10 C.- The freshly coated surface should be protected from high temperatures, wind, rain and frost for at least the first 24 hours.- Coating thickness more than 0.5 mm is achieved only by repeated layers.- For covering cracks, or holes it is recommended the addition of 20-30% quartz sand to ELASTOSPORT's weight (grain thickness from 0.2-0.5mm) in the first layer.- In case it gets damaged, it is simply repaired and recoated on the spot.
-----------------------	--

<u>CAUTION</u>	The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.
-----------------------	--

For more information consult the safety data sheet.

CORRIDOL 864

Acrylic, slip-resistant coating for outdoor surfaces

GENERAL CHARACTERISTICS

CORRIDOL 864 is a colored, non-slip coating for surrounding areas in stadiums, traffic education parks, corridors, velodrome etc. applied on asphalt and cement waterproofed surfaces after the application of **ELASTOSPORT 853**.

TECHNICAL DATA

Appearance:	viscous liquid
Colors:	24 colors form KDF colorchart
Viscosity:	19.000-25.000 mPa s at 25°C
Density:	1.70 - 1.80 Kg/Lt
Temperature for the application and drying of the material:	10 – 40°C
Time for the hardening of the material:	Ready to use after 24 hours at 25°C
Full curing:	5 days : total hardening for the mechanical resistance

PREPARATION-APPLICATION

Applied only on dry surfaces, protected from arising humidity and free of materials that might prevent bonding e.g. dust, loose particles, grease etc. The success in the application depends on the right preparation of the underlay and use of the material.

- **Good, dry** cleaning of the surface from dust and residues with vacuum cleaner and squeegees.
- Priming of the surface with **RITIVEX (1102)** for the proper adhesion of the sub-floor. Application of one or more layers until the surface is saturated. Avoid the creation of puddles of the material. Consumption: 200-300 gr/m² in one layer, depending on the absorption of the underlay.
- When the primer starts to dry, apply **ELASTOSPORT 853** in order to close the pores of the asphalt or cement surface
- As soon as the final layer of **ELASTOSPORT 853** dries (after 24 hours at 25 C), apply **CORRIDOL 864** in three layers, depending on the desirable thickness. It can be diluted maximum 2% water, depending on the temperature, in order to achieve better fluidity.

CONSUMPTION

1.5 kg/m² (three layers)

APPLICATION TOOLS

Squeegee.

PACKAGING

In drums of 25 kg, barrels 200kg.

STORAGE

12 months in unopened containers in dry places with minimum temperature 5°C and high temperature 30°C (avoid sunlight).

REMARKS

- During temperatures over 38 C, ideal time for the application of the material is between 22:00-9:00 a.m. while the minimum bearing temperature during application and drying should be 10 C.
 - Thickness more than 0.5mm per layer may cause cracks in the summer, because high temperature causes the rapid evaporation of water and does not allow the material to dry normally. Coating thickness more than 0.5 mm is achieved only by repeated layers.
 - Winds, frosts, rainfalls, and high temperatures should be avoided during the application and the day after (referring to rain and frost).
 - If for any reason it gets damaged, it is simply repaired and recoated.
-

CAUTION

The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.

For more information consult the safety data sheet.

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.

CERTIFICATES OF KDF Ltd



ISO KDF Ltd



POLTRACK SPRAYCOAT



POLTRACK SANDWICH



POLYFLEX AEL-EX



FLEXFLOOR-EX



SPORTFLOOR-EX



POLTRACK EQUINE



BADMINTON POLYFLEX PU



PU GRASS 149

CERTIFICATES OF KDF Ltd

TEST REPORT

16-0132IT-P

Received on: 06-01-16

KATASKEEVES DAPEON LTD - BUILDING SYSTEM
POLYFLEX PU SYSTEM
SYNTHETIC FLOOR

Test according to:
EN 14904:2006 Surfaces for sports areas - Indoor surfaces for multi-sport use - Specification

This report may not be used for commercial purposes unless it is accompanied by a copy of the test specification.

The results are valid until the 06-01-2017 unless otherwise specified in this report.

Laboratory Report No: 16-0132IT-P
Date: 06-01-16
Customer Name: KATASKEEVES DAPEON LTD
Address: 1000 10th Street, Suite 100, Denver, CO 80203, USA
Phone: +1 303 296 1234
Email: info@kataskeeves.com

POLYFLEX PU

SPORTGROUND-EX

POLTRACK JOGGING TRACK

FIBA POLYFLEX PU

SAFEPOL

EPDM 856

PLAYPREM

Customer name	Greece Housing Fund (ΕΛΓΑ - ΕΠΕ)																																				
Project name	Επένδυση στην ανανεώσιμη ενέργεια στην Ελλάς																																				
Project	Επένδυση στην ανανεώσιμη ενέργεια στην Ελλάς																																				
Address	Εθνική Οδός 100, 14534, Αθήνα, Ελλάς																																				
Telephone number	+30 210 921 1111																																				
Fax	+30 210 921 1112																																				
E-mail	elga@elga.gr																																				
Comments <small>(For general comments about the report and/or the laboratory)</small>																																					
<p>The report is valid only for the information contained in the report and for the period indicated in the report.</p> <p>Photographs</p> 																																					
<p>Conditioning</p> <table> <tr> <td>Temperature</td> <td>15.1</td> </tr> <tr> <td>Humidity</td> <td>55.1</td> </tr> </table> <p>Product information</p> <table> <tr> <td>Series</td> <td>With glass safety cover</td> </tr> <tr> <td>Model</td> <td>120W</td> </tr> <tr> <td>Dimensions</td> <td>1200x600x30</td> </tr> <tr> <td>Weight</td> <td>12.0000</td> </tr> <tr> <td>Support</td> <td>100% Ground Glass Version</td> </tr> </table> <p>Type production</p> <table> <tr> <td>Production 1</td> <td>On the website of the customer</td> </tr> <tr> <td>Production 2</td> <td>On the website of the manufacturer</td> </tr> <tr> <td>Production 3</td> <td>On the website of the distributor</td> </tr> <tr> <td>Production 4</td> <td>On the website of the company that supplies the manufacturer</td> </tr> <tr> <td>Production 5</td> <td>On the website of the distributor</td> </tr> <tr> <td>Production 6</td> <td>On the website of the company that supplies the distributor</td> </tr> <tr> <td>Production 7</td> <td>On the website of the manufacturer</td> </tr> <tr> <td>Production 8</td> <td>On the website of the distributor</td> </tr> <tr> <td>Production 9</td> <td>On the website of the company that supplies the distributor</td> </tr> <tr> <td>Production 10</td> <td>On the website of the company that supplies the manufacturer</td> </tr> </table>				Temperature	15.1	Humidity	55.1	Series	With glass safety cover	Model	120W	Dimensions	1200x600x30	Weight	12.0000	Support	100% Ground Glass Version	Production 1	On the website of the customer	Production 2	On the website of the manufacturer	Production 3	On the website of the distributor	Production 4	On the website of the company that supplies the manufacturer	Production 5	On the website of the distributor	Production 6	On the website of the company that supplies the distributor	Production 7	On the website of the manufacturer	Production 8	On the website of the distributor	Production 9	On the website of the company that supplies the distributor	Production 10	On the website of the company that supplies the manufacturer
Temperature	15.1																																				
Humidity	55.1																																				
Series	With glass safety cover																																				
Model	120W																																				
Dimensions	1200x600x30																																				
Weight	12.0000																																				
Support	100% Ground Glass Version																																				
Production 1	On the website of the customer																																				
Production 2	On the website of the manufacturer																																				
Production 3	On the website of the distributor																																				
Production 4	On the website of the company that supplies the manufacturer																																				
Production 5	On the website of the distributor																																				
Production 6	On the website of the company that supplies the distributor																																				
Production 7	On the website of the manufacturer																																				
Production 8	On the website of the distributor																																				
Production 9	On the website of the company that supplies the distributor																																				
Production 10	On the website of the company that supplies the manufacturer																																				

SAFFPOL SANDPROOF

POLTRACK FULL-PU