

An aerial photograph of a water park splash area. The central feature is a large, bright blue splash pad with several play structures. These include a large pink ball at the bottom, a yellow and white structure resembling a swan or bird, and various other colorful elements. People are seen walking on the splash pad. To the left, there is a paved area with several white lounge chairs. To the right, there are two rectangular swimming pools with light blue water and colorful tiled borders. The overall scene is bright and sunny.

# KDF

## AQUASOFT-EX

Water Park, Splash Park Area Floor in 4mm thickness

In playtime safety comes first

[www.kdf.gr](http://www.kdf.gr)



**KDF LTD** ([www.kdf.gr](http://www.kdf.gr)) is one of the most dynamic and export-oriented Greek companies (currently activated in more than 80 countries in 4 continents), based in Greece (EU) and in U.A.E too, with production facilities and warehouses in both countries for acrylics and polyurethanes and **EPDM** granules.

**We are experts in sports, industrial and decorative flooring products and systems**, with huge experience in Europe with many applied projects in Spain, France, Greece as well as Malta, Romania, Bulgaria, Croatia, Serbia and Ukraine. Our presence is active in Latin America too with projects in Colombia, Peru, Chile, and Brazil, Africa, Asia, Middle East and India as well.

Our export horizon is expanding rapidly, and our goal is to stand out as a model of flexibility and competitiveness. The company, being one of the pioneer companies in the sector of sports flooring systems and building materials and giving particular attention to providing a fully upgraded range of products and services, provides certified systems according to all **EU norms and regulations** and by well-known international institutes like **WORLD ATHLETICS, I.T.F, TUV, LNE, LABOSPORT, ISASPORT, INTERTEK to name but a few.**

**KDF** goes far beyond trade, providing consultancy in marketing and technical support all the way, from the costing till the finalization of the project. Operating under the requirements of **ISO 9001/2015** (and many others like **ISO 14001/2015, ISO 50001/2018, ISO 27001/2013** and more) for production, trade and application, we make sure our products are first applied successfully at site by our own people before we launch them abroad.

Therefore, our systems have all stood the real-life test in different climates, from North Europe to Middle East till South America, and this is one of our main assets, enabling us to provide full and vertical technical support from specifying to final application plus supervision when required or even full application and costing.

**We invite you to discover a world of sports flooring expertise and solutions.**

VIEW OUR NEW SPORTS CATALOGUE



# Contents

- 3. Technical Description of the system
- 4. Methodology of the system
- 8. Colorchart
- 10. Photographs of Projects
- 11. Technical Data Sheet (TDS) per each material
- 18. Maintenance manual
- 20. Indicative Reference List of Projects

# SPLASH PARKS

## AQUASOFT-EX

Innovative, seamless, elastic colorful, anti-slip, long lasting polymer flooring for water parks and splash park areas providing excellent safety and convenience for children and users in thickness of 4mm.

Our water park, splash park flooring is the unique polymeric system for wet areas in constant contact in water or near water continuously.

Consist of special polymeric resins and elastic elements.

**Certified according to ASTM F925-13, ISO 22196:2011, EN 1177.**



### Steps:

**1. POLYSPORT DAMP PROOF BARRIER - PU primer.**

Used as water barrier on damp concrete substrates and as an adhesive component between concrete surfaces and sports coatings. Application with roller, brush or squeegee.

**2. AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.**

It's solvent free and easy to apply, it shows a good curing behavior even at low or high temperature. Applied with V-notched trowel and a spiked roller.

**3. ELASTIC ELEMENTS - Rubber granules.**

Granulometry of 0.5mm. Broadcasted on the wet fresh self-leveling surface.

**4. AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.**

It's solvent free and easy to apply, it shows a good curing behavior even at low or high temperature. Applied with V-notched trowel and a spiked roller.

**5. ELASTIC ELEMENTS - Rubber granules.**

Granulometry of 0.5mm. Broadcasted on the wet fresh self-leveling surface.

**6. AQUASOFT 8052 - UV-resistant, polymer-based, two-component coating, colored or clear.**

It is applied as a final, sealing layer on top of splash park flooring with an airless sprayer or a roller.



Description	Consumption
POLYSPORT DAMP PROOF BARRIER - PU Primer.	0.4kg/m <sup>2</sup> for 2 layers
AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.	2.15kg/m <sup>2</sup>
ELASTIC ELEMENTS - Rubber granules.	1.6-1.8kg/m <sup>2</sup>
AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.	2.15kg/m <sup>2</sup>
ELASTIC ELEMENTS - Rubber granules.	1.6-1.8kg/m <sup>2</sup>
AQUASOFT 8052 - UV-resistant, polymer-based, two-component coating.	0.6kg/m <sup>2</sup> for 3 layers

## AQUASOFT-EX SYSTEM

### Splash park flooring

---



Innovative, seamless, elastic colorful, anti-slip, long lasting polymer flooring for water parks and splash park areas providing excellent safety and convenience for children and users.

Our water park, splash park flooring is the unique polymeric system for wet areas in constant contact in water or near water continuously.

It provides safety due to its high elasticity and excellent grip while in parallel it has excellent properties and resistance to aggressive chemicals used in water such as chlorine.

Great variety in colors as backgrounds and designs that are created to match every possible desire of the end user.

**Applied on all aquatic venues such as interactive fountains, splash pads, spray parks, water parks and wet decks.**

#### Steps:

**1. POLYSPORT DAMP PROOF BARRIER - PU primer.**

Used as water barrier on damp concrete substrates and as an adhesive component between concrete surfaces and sports coatings. Application with roller, brush or squeegee.

**2. AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.**

3. It's solvent free, easy to apply and it shows a good curing behavior even at low or high temperature. Applied with V-notched trowel and a spiked roller.

**4. ELASTIC ELEMENTS - Rubber granules.**

Granulometry of 0.5mm. Broadcasted on the wet fresh self-leveling surface.

**5. AQUASOFT 8055 - Specially, modified, two component, polymeric self-leveling coating.**

It's solvent free, easy to apply and it shows a good curing behavior even at low or high temperature. Applied with V-notched trowel and a spiked roller.

**6. ELASTIC ELEMENTS - Rubber granules.**

Granulometry of 0.5mm. Broadcasted on the wet fresh self-leveling surface.

**7. AQUASOFT 8052 - UV-resistant, polymer-based, two-component coating.**

It is applied as a final, sealing layer on top of splash park floorings with an airless sprayer or a roller.

## **Preparation – Application**

Applied on dry asphalt surfaces (30 days at least old) or smooth, waterproofed concrete surfaces (30 days at least old) without arising humidity issues and free of materials that might prevent bonding e.g. dust, loose particles etc (in case of asphalt or concrete). The success in the application depends on the right preparation of the underlay and use of the material.

- **Good, dry cleaning** of the surface from dust and residues.
- Priming of the surface with **POLYSPORT DAMP PROOF BARRIER** applied by roller, brush or squeegee. Consumption: 0,4kg/m<sup>2</sup>.
- Good mixing of component A and component B of **AQUASOFT 8055**.
- The well mixed material of **AQUASOFT 8055** is applied with a V-notch trowel 5.5 mm and the parallel use of a spiked roller. Consumption: 2.15kg/m<sup>2</sup>.
- Follows the broadcasting of the **ELASTIC ELEMENTS** on the still “fresh” self-levelling. Consumption 1,6-1,8kg /m<sup>2</sup>.
- After the surface has dried follows the application of one more layer of **AQUASOFT 8055** with a V-notch trowel 5.5 mm and the parallel use of a spiked roller. Consumption: 2.15kg/m<sup>2</sup>.
- Follows the broadcasting of the **ELASTIC ELEMENTS** on the still “fresh” self-levelling. Consumption 1,6-1,8kg /m<sup>2</sup>.
- After the surface has dried follows the application of **AQUASOFT 8052** airless sprayer or short-haired mohair roller in 3 crossing layers. Good mixing of component A and component B precedes the application. Consumption: 0,6kg/m<sup>2</sup>.

## **Important Remarks**

- ✓ During temperatures over 40 degrees, ideal time for the application of **AQUASOFT-EX** is between 22:00 and 09:00. The minimum bearing temperature during application and drying should be over 10°C.
- ✓ The freshly coated surface should be protected from high temperatures, wind, rain and frost for at least the first 24 hours.

## **Substrate**

**Asphalt is the safer subfloor for sport floorings for sure and must be always preferred than concrete surfaces.**


### **A. Asphalt Substrate**

**The asphalt must have a slope of 0.7-1% and must dry for at least 30 days so that all solvents from the asphalt can evaporate.**

The asphalt sub-floor should be applied on well compacted 150mm road base sub-floor and asphalt should be laid in one layer (and not 2) in 6 to 8cm with fine and coarse aggregates (up to 15mm granulometry) like the kind of asphalt used in road construction.

So, new road-grade asphalt will have to be laid (minimum 60mm) in one layer containing coarse aggregates and then mature for 30 days at least, before any application takes place on top of the asphalt to avoid bubbles on the final layer of the sport or rubber floorings.

#### Asphalt Infrastructure




#### B. Concrete Surface

**Concrete surface must be power-troweled without cracks and must be smooth with a slope of 0.7-1% and humidity under 4% in 10cm depth of concrete.**

Concrete must also be **dry at least for 40 days** and then the application takes place if there is no rising humidity for the sub-floor. Before the application takes place, there must be proper grinding of the surface by a grinding machine to open the pores accordingly and also a measurement by special instrument to measure humidity on the surface and in 10cm under the surface.

Generally concrete is a risky sub-floor and there may be problems with rising humidity, especially in areas where the sea level is really high and when the sea is close or in areas near greenery.

**Always make expansion joints in large areas of concrete, in order to avoid uncontrollable cracks and failures.** Joints should be every 25 square meters creating a grid of 5x5 meters or close to that.



**Substrate requirements**

Concrete quality	at least C20/25
Age:	at least 40 days
Moisture content:	below 4%

**Tools:**





# AQUASOFT COLORCHART



AQ 1 - RAL 1013



AQ 2 - RAL 1014\*




AQ 3 - RAL 1034\*



AQ 4 - RAL 1024



AQ 6 - RAL 7040




AQ 5 - RAL 7037




AQ 15 - RAL 4001



AQ 16 - RAL 4010



AQ 7 - RAL 5018



AQ 13 - RAL 5021\*




AQ 8 - RAL 5012\*




AQ 14 - RAL 5005



AQ 10 - RAL 6018



AQ 12 - RAL 6037\*



AQ 11 - RAL 6001



AQ 9 - RAL 2011

\*Similar to the relevant RAL codes.


The colors may vary slightly from the original due to digital representation.




# AQUASOFT COLORCHART




AQ 17



AQ 18




AQ 19




AQ 20




AQ 21




AQ 22



AQ 23



AQ 24




AQ 25



AQ 26



AQ 27



AQ 28



AQ 29



AQ 30



AQ 31



AQ 32

# PHOTOGRAPHS OF PROLECTS



# POLYSPORT DAMP PROOF BARRIER

TWO COMPONENT, SOLVENT-FREE PU-BASED PRIMER, USED AS WATER-BARRIER ON DAMP CONCRETE SUBSTRATES AND AS AN ADHESIVE COMPONENT BETWEEN CONCRETE AND SUBSEQUENT COATINGS

## GENERAL CHARACTERISTICS

**POLYSPORT DAMP PROOF BARRIER** is a clear, PU-based, solvent-free, two-component, resin. It is used as water barrier on damp concrete substrates and as an adhesive component between concrete surfaces and sport coatings or industrial final coatings, such as running tracks, acrylic coatings, polyurethane coatings and epoxy industrial coatings.

## TECHNICAL DATA

Basis:	two-component PU-resin
Appearance:	liquid
Colors:	light brown
Viscosity (A+B):	200 – 700 mPa.s
Density (A+B):	1.08 – 1.18 kg/lit
Mixing proportion (A:B):	50%:50% by weight
Application time:	20 – 25 min at 25°C
Temperature for the application and drying of the material:	12 – 40°C after 7 days at 25°C
Final strength:	
Walkability:	after 24 hours at 25°C
Adhesive strength:	3,70 ± 0,05 N/mm <sup>2</sup> (breaking of concrete)

## SUBSTRATE REQUIREMENTS

Concrete quality:	at least C20/25
Age:	at least 28 days

## PREPARATION - APPLICATION

Applied only on dry or damp surfaces or on surfaces with rising humidity. Surface should be free of materials that might prevent bonding e.g. dust, loose particles, grease etc. The success in the application depends on the right preparation of the underlay and use of the material.

- Treatment of the surface with a mosaic machine, or with sandblast or milling machine, depending on the condition of the substrate and the thickness of the final coating.
- Good, dry cleaning of the surface from dust and residues with vacuum cleaner and use of squeegees.
- Good mixing of components A (resin) & B (hardener) packed into separate containers in fixed weight proportions. Mixing should be performed using a low revolution mixer (300-600 rpm) for 1-2 min. Stirring of the mixture should be performed thoroughly near the sides and bottom of the container in order to achieve uniform dispersion of the hardener.
- Following, the **POLYSPORT DAMP PROOF BARRIER** is applied in two or more layers until the surface is saturated and a film is created. If mat spots appear, then another layer is necessary. The next layer follows the other as soon as the previous has dried. The number of layers varies from one surface to another depending on the absorbency.



---

## CONSUMPTION

350-500 gr/m<sup>2</sup> in two layers depending on the type and the absorbency of the underlay.

---

## APPLICATION TOOLS

Short-haired mohair roller, brush, squeegee for smooth industrial surfaces. Tools should be cleaned with solvent (xylene, toluene) immediately after use.



---

## PACKAGING

Supplied in packages of 30kg (two drums).  
Components A and B have the fixed weight proportion.



---

## STORAGE

12 months in unopened containers in dry places with minimum temperature 5°C and maximum temperature 30°C (avoid sunlight).

---

## REMARKS

- Working time of **POLYSPORT DAMP PROOF BARRIER** decreases when ambient temperature and humidity rises.
  - It cannot be applied in thickness for closing cracks or holes. In this case it can only be used if mixed with fine dry sand.
  - The usage of mosaic/milling/sanding machine or similar must precede the application of **POLYSPORT DAMP PROOF BARRIER** for the creation of pores and the right penetration of the material.
  - In case old floors are going to be laid or a long period of time interferes between successive layers (twenty four hours during winter and twelve hours during summer), the surface must be thoroughly cleaned and ground prior to application of a new layer.
  - After hardening, **POLYSPORT DAMP PROOF BARRIER** is completely safe for health.
- 

## CAUTION

The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.  
**For more information consult the material safety data sheet.**

---

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.

# AQUASOFT 8055 COLORED

SPECIALLY MODIFIED, TWO-COMPONENT, SELF-LEVELING COATING FOR KDF AQUASOFT-EX SYSTEM

## GENERAL CHARACTERISTICS

**AQUASOFT 8055** is a specially, modified, pigmented and solvent free, two component, polymeric self-leveling coating, with good elastic and tensile properties.

**AQUASOFT 8055** is easy to apply, it shows a good curing behavior even at low or high temperature.

## TECHNICAL DATA

Mixing ratio:	72.7 : 27.3 (By weight)
Viscosity (25°C) :	3.500 – 8.000 mPa•s
Density of mixture (25°C):	App. 1.35 – 1.45 Kg / Lt
Curing (25°C and 60% relative humidity):	After 24 hours
Pot life(25°C):	20-30 min.
Application temperature:	10 – 40 °C
Color:	KDF AQUASOFT colorchart

## PREPARATION-APPLICATION

**AQUASOFT SYSTEM** is applied on dry surfaces without rising humidity issues, free of materials that might prevent bonding e.g. dust, loose particles, grease etc (in case of asphalt or concrete).

The success in the application depends on the right preparation of the underlay and use of the material.

- Good, dry cleaning of the surface from dust and residues using vacuum cleaner and squeegee.
- Processing temperature of both components should be between 10-40°C.
- AQUASOFT 8055 is applied on top of DAMP PROOF BARRIER, after it has dried. The A component should be thoroughly stirred to incorporate any slight separation, while continuing stirring the hardener (B component) should be added. Continue stirring until a homogeneous mix is obtained. The mixed material must be used within 20-30 minutes of mixing at 25°C. The well mixed material is applied with a V-notch trowel 5.5 mm and the parallel use of a spiked roller. Then, while the material is still “fresh” broadcasting of the ELASTIC ELEMENTS occurs. After ~24 hours, any excess of ELASTIC ELEMENTS is removed from the surface. This procedure is performed in 2 layers (2 layers of resin – 2 layers of broadcasting rubber elements).
- Material consumption lies between 2,0-2,3 Kg/m<sup>2</sup> for **AQUASOFT-EX** system and it depends on the temperature of substrate, ambience and material. Substrate temperatures must not exceed 50°C as this would liquefy the material.
- During the first hours after application, the coating has to be protected from direct contact with water, as this could cause foaming of the material. In case of (expected) rain, **AQUASOFT 8055** should not be applied.
- NOTE: In cases re-coating is required, proceed in the first 24 hours after previous application without the use of primer if the surface is dry and clean.

---

## CONSUMPTION

2,0-2,3 kg/m<sup>2</sup>.

---

## APPLICATION TOOLS

V-notch trowel, 5.5 mm & spiked roller.



## PACKAGING

Supplied in barrels and drums(set).



## STORAGE

12 months in unopened containers in dry places with minimum temperature 5°C and maximum temperature 30°C (avoid sunlight).

---

## CAUTION

The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.

**For more information consult the material safety data sheet.**

---

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.

# ELASTIC ELEMENTS

## RUBBER GRANULES

### GENERAL CHARACTERISTICS

Type of material: high content rubber

Grain size: 0.5 mm

---

### PERFORMANCE OF SAMPLE 25%

Test item	Performance
Tensile strength (Mpa)	>4.5
Elongation at break (%)	>700
Hardness (shore A)	58
Specific gravity (kg/cm <sup>3</sup> )	1.45 ± 0.05

---

### PREPARATION-APPLICATION

Application: water parks, splash parks, swimming pool areas.

---

### REMARKS

- All technical data are correct to the best of our knowledge and are intended to help our customers.
- They do not constitute a guarantee of qualities and provide on bases for legal liability.

---

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.



# AQUASOFT 8052 COLORED

UV-RESISTANT, POLYMER-BASED, TWO-COMPONENT, GLOSSY FINISH, ALIPHATIC COATING

## GENERAL CHARACTERISTICS

**AQUASOFT 8052 COLORED** is a polymeric, two-component, solvent-based, with glossy finish aliphatic coating for outdoor sports surfaces.

- It is applied as a final, sealing layer on top of splash park floorings.

- It is UV-resistant and thus absolutely suitable for outdoor surfaces, for UV-protection in case of sensitive, light colors such as blue, orange, green.

## TECHNICAL DATA

Mixing ratio:	75:25 (By weight)
Viscosity (25°C):	800 – 2.500 mPa•s
Density (25°C):	0.90 – 1.00 Kg / Lt at
Curing (25°C):	9-12 hours
Application temperature:	15 – 40 °C
Color:	KDF AQUASOFT colorchart

## PREPARATION-APPLICATION

**AQUASOFT SYSTEM is applied on dry surfaces without rising humidity issues, free of materials that might prevent bonding e.g. dust, loose particles, grease etc (in case of asphalt or concrete).**

The success in the application depends on the right preparation of the underlay and use of the material.

- Good, dry cleaning of the surface from dust and residues using vacuum cleaner and squeegees.
- Caution must be taken so that temperature of the support surface as well as ambient air remains above 15°C during application and curing of the materials while relative humidity does not exceed 75%.
- The A component should be thoroughly stirred to incorporate any slight separation, while continuing stirring, the hardener (B component) should be added. Continue stirring until a homogeneous mix is obtained.
- After the last layer of AQUASOFT 8055 with the ELASTIC ELEMENTS has dried (after ~24 hours), remove any excess ELASTIC ELEMENTS from the surface. The application of AQUASOFT 8052 is done on top, by airless sprayer or short-haired mohair roller in 3 crossing layers.

## CONSUMPTION

600-650 gr/m<sup>2</sup>

Apply three layers at least.

## APPLICATION TOOLS

Airless sprayer or short-haired mohair roller. Tools should be cleaned with PU SOLVENT immediately after use.



---

### PACKAGING

Supplied in set of 20 Kg (two drums).



---

### STORAGE

12 months in unopened containers in dry places with minimum temperature 5°C and maximum temperature 30°C (avoid sunlight).

---

### REMARKS

- Working time of **AQUASOFT 8052 COLORED** decreases when ambient temperature rises.
- Prolonged storage of partially used containers, containing **AQUASOFT 8052 COLORED** must be avoided, as contact with atmospheric moisture could possibly cause clouding of the product.
- After hardening **AQUASOFT 8052 COLORED** is completely safe for health.

---

### CAUTION

The application must take place in well-aired places using protective gloves. Skin or eye contact must be avoided, otherwise wash carefully with soap and water.

**For more information consult the material safety data sheet.**

---

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.

# CLEANING AND MAINTENANCE MANUAL

## AQUASOFT-EX SYSTEM

### **Introduction**

AQUASOFT-EX surface is made of extremely durable polymers, designed to withstand extreme climate conditions and intense use. However, for the best maintenance of the surface a regular check (once in 6 months) is required and the maintenance of the surface is necessary to preserve the suitability and functionality of the flooring.

The installer's guarantee will usually be conditional on the recommended maintenance requirements being carried out with due diligence.

### **Maintenance**

Maintenance procedures are necessary to preserve the lifetime of the surface and to ensure that:

- The Surface is kept clean.
- The Surface is safe for intense and diverse use.

These objectives are achieved by:

- Sweeping/removing leaves and other debris from the surface.
- Immediately after emptying the splash park/removing water, it is necessary to clean the surface with a product suitable for removing salt deposits (\*).
- Regularly washing the surface with a soft brush to remove contaminants such as grime, grease, algae, moss, sand etc.
- Applying suitable treatments of moss-killer and/or algaecide.

### **Maintenance Equipment**

- Leaves, pine needles and other detritus should be removed from the surface immediately as rot quickly helping the growth of mold and moss.
- A mechanical leaf-sweeper or vacuum cleaner is ideal for removing foreign matter and dirt. Restricted areas may have to be cleaned by hand.
- The maintenance equipment should be well maintained and carefully operated to avoid any physical damage to the surface.

- Pressure loads on the surface as well as friction and shearing loads have to be avoided to prevent damage to the surface.
- At least once a year it is advisable to wash the surface with **low-pressure** jetting apparatus.
- Polymeric surfaces can withstand low pressures without suffering damage.
- Note that no aggressive chemical cleaning agents (chlorine or acid-based) should be used.

### **Prevention of damages**

To ensure the excellent condition of the surface:

- Chemicals, oils, fuels or solvents on the surface are prohibited.
- Fireworks or cigarettes or unsuitable shoes on the surface are prohibited.

### **Damages and renovation**

The lifetime of an outdoor surface depends on its quality, usage and level of maintenance. In general, a normal outdoor surface used intensively will last 2 to 3 years (depending on the system) before renovation is required. Renovation should be carried out periodically to prevent the total damage of the surface, which would necessitate complete renewal.

Renovation must be carried out by professional and skilled contractors with thorough knowledge of this type of work.

There are different procedures for the renovation of a surface:

- Complete renewal by replacing the worn-out surface with a new sports flooring system.
- Re-topping or sealing with adequate polymeric materials.
- Partial re-topping in particular worn-out areas.

Information contained in this document is of general nature and is given in good faith. As the state of the surface and the use and application of the various cleaning products, is out of our control, our advice for individual cases, verbal, written or based on tests, does not exempt the applicator from the testing the suitability of the cleaning products and their applications.

\* Please contact us for more information.



# INDICATIVE REFERENCE LIST OF PROJECTS

- RIYADH CITY NORTH PHASE 7A - ABHU DHABI, U.A.E - 80000m<sup>2</sup> Bicycle track, Sportground-Ex system
- RIYADH CITY NORTH PHASE 7B - ABHU DHABI, U.A.E - 60000m<sup>2</sup> Bicycle track, Sportground-Ex system
- CONSTRUCTION OF HARD LANDSCAPING - U.A.E - 60000m<sup>2</sup> Bicycle track, Sportground-Ex system
- RIYADH CITY SOUTH PHASE 1 - ABHU DHABI, U.A.E - 42000m<sup>2</sup> Bicycle track, Sportground-Ex system
- 12 SCHOOLS IN U.A.E, MINISTRY OF EDUCATION(THROUGH VARIOUS CONTRACTORS) - 40000m<sup>2</sup> EPDM Rubber flooring
- MULTIPLE RUNNING TRACKS - ALGERIA - 40000 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system
- AL ESKAN RUNNING TRACK - BURAIDAH, K.S.A -25000m<sup>2</sup> -Running track, POLTRACK SPRAYCOAT system
- UNIVERSITY OF DAMMAM - KSA - 13000m<sup>2</sup> - Acrylic cushion floorings
- KING ABDULLAH BASE AIR DEFENSE - TAIF, KSA - 12600 m<sup>2</sup> - Running track
- KING FAHD UNIVERSITY OF PETROLEUM AND MINERALS-DHARAN, KSA-12400m<sup>2</sup>-Rubber outdoor flooring
- ”KOSTAS KENTERIS” STADIUM & NATIONAL STADIUM OF MITILINI - MITILINI ISLA, GREECE - 12000m<sup>2</sup> - Running track, POLTRACK SANDWICH system
- RUNNING TRACK - K.S.A- 11000 m<sup>2</sup> - Running track, POLTRACK SANDWICH system
- GEMS SCHOOL - DUBAI, U.A.E - 10000 m<sup>2</sup> - Running track
- PASARGRAD WHOLESALE MARKET-IRAN - 10000 m<sup>2</sup> - Decorative flooring
- YAS ISLAND, ABU DHABI, U.A.E - 10000m<sup>2</sup> Bicycle track
- ANASTASIA KELESIDOU STADIUM/KONSTANTINOS KARAMANLIS - THESSALONIKI, GREECE - 10000m<sup>2</sup>
- Re-topping project, Running track, Sandwich system, Indoor & Outdoor running track
- KAFTANZOGLIO NATIONAL STADIUM OF THESSALONIKI - GREECE - 9000m<sup>2</sup>, POLTRACK SANDWICH
- ABHA STADIUM - K.S.A - 9000m<sup>2</sup>- POLTRACK SANDWICH system
- ABU DHABI STADIUM - U.A.E - 9000m<sup>2</sup> - Artificial Grass, POLITURF LEADER 55140
- ALEXANDRIA STADIUM - ALEXANDRIA, EGYPT - 8500 m<sup>2</sup> - Running track
- SICHUAN INVESTMENT INTERNATIONAL TENNIS CENTER - CHENGDU CHINA - 8250 m<sup>2</sup> - SPORTFLOOR-EX HARD COURT
- MINISTRY OF EDUCATION IN KUWAIT - KUWAIT - 8000m<sup>2</sup> - Polyurethane flooring, Polyflex Pu-In system
- SALAM STREET & MINA ROAD, ABU DHABI, U.A.E - 8000m<sup>2</sup> Bicycle track, Sportground-Ex system
- KING FAHAD NAVAL BASE - JUBAIL, KSA - 8000m<sup>2</sup> - Running track
- MUNICIPALITY OF VELVENTO - KOZANI, GREECE - 8000m<sup>2</sup>, Running track
- PRINCE FAISAL STADIUM IN RIYADH - K.S.A - 8000m<sup>2</sup>, Running track, POLTRACK SANDWICH system
- ABBHA, KSA - 7600m<sup>2</sup> - Running track
- MUNICIPALITY OF ZENICA - ZENICA, BOSNIA & HERZEGOVINA - 7500m<sup>2</sup>, Poltrack Spraycoat, Running track
- RUNNING TRACK - KAMIANETS, PODILSKYI, UKRAINE - 7400m<sup>2</sup>, Poltrack Spraycoat
- NATIONAL STADIUM OF TRIKALA - TRIKALA, GREECE - 7000m<sup>2</sup> - Running track POLTRACK FULL PU
- TELUK BAYAR MINI OLYMPI STADIUM - INDONESIA - 7000m<sup>2</sup> - Running track, POLTRACK SANDWICH
- ADNOC SCHOOLS - U.A.E - 7000m<sup>2</sup> - Safepol system
- MAJLIS BANDARAYA PETALING JAYA STADIUM - MALAYSIA - 7000m<sup>2</sup> POLTRACK SANDWICH
- ATLAS CENTER-BAM, IRAN - 7000 m<sup>2</sup> - Decorative flooring
- RUNNING TRACK - SUDAN - 7000 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system
- COLOMBIA RUNNING TRACK PROJECT - 6800 m<sup>2</sup> - POLTRACK SPRAYCOAT
- MUNICIPALITY STADIUM ANDROS ISLA, GREECE - 6700m<sup>2</sup>- POLTRACK SANDWICH RETTOPING SYSTEM
- RUNNING TRACK STADIUM - CRETE, GREECE - 6500 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-PLAYGROUND PROJECT - ABU DHABI, U.A.E - 6500 m<sup>2</sup>, Safety flooring

-RUNNING TRACK STADIUM - DRAMA, GREECE - 6500 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-SAADIYAT ISLAND - ABHU DHABI, U.A.E - 6500m<sup>2</sup> Bicycle track, Sportground-Ex system

-RUNNING TRACK PROJECT IN MUSCAT, OMAN - 6400 m<sup>2</sup> - POLTRACK SANDWICH system

-KAVALA STADIUM - KAVALA, GREECE - 6300m<sup>2</sup>- 8-lane Running track, POLTRACK SANDWICH SYSTEM

-CHENGDU SPORT UNIVERSITY - CHENGU, CHINA - 6300 m<sup>2</sup> - Cushion system, FLEXFLOOR-EX

-CORNISH, JEDDAH, K.S.A - 6000m<sup>2</sup> Bicycle track Sportground-Ex system

-MUNICIPALITY STADIUM-MOLAOI, GREECE - 5800m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-MUNICIPALITY STADIUM SOFADES, GREECE - 5800m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-MUNICIPALITY STADIUM OF ALIARTOS - ALIARTOS, GREECE - 5700m<sup>2</sup>- POLTRACK SPRAYCOAT

-ARTIFICIAL GRASS PROJECT - ATHENS, GREECE - 5700m<sup>2</sup>, Artificial grass

-PAPACHARALAMBIO STADIUM - NAFPAKTOS, GREECE - 5650m<sup>2</sup> - POLTRACK SANDWICH system

-AMITY INTERNATIONAL SCHOOL - ABHU DHABI, U.A.E - 5500m<sup>2</sup>, Poltrack Spraycoat, Running Track

-MUNICIPALITY STADIUM LOUTRAKI, GREECE - 5500m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-SHUQAIQ WATER AND ELECTRICITY COMPANY - JIZAN, KSA - 5400 m<sup>2</sup> - acrylic courts

-TALEEM UPTOWN SCHOOLS - DUBAI, UAE - 5400m<sup>2</sup>-Acrylic sports courts systems

-ZAYED PORT - ABHU DHABI, U.A.E - 5400m<sup>2</sup> Bicycle track, Sportground-Ex system

-SAN FERNANDO DE HENARES - SPAIN - 5300m<sup>2</sup> - POLTRACK SANDWICH

-SAUDI AIR FORCE - KSA - 5250 m<sup>2</sup> - Acrylic coating elastoturf, running track

-OMAN WATERFRONT - OMAN - 5000 m<sup>2</sup> - COLORFLEX-EX

-SHIV NADER SCHOOL - FARIDABAD, INDIA - 5000 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-RUNNING TRACK - K.S.A - 5000 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-AL HAMRA, RAS AL KHAIMAH, U.A.E - 5000m<sup>2</sup> Bicycle track, Sportground-Ex system

-AIRBASE IN TAIF - KSA - 5000 m<sup>2</sup> - Running track

-AMERICAN SCHOOL AL BARSHA - DUBAI - 5000 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system

-MUNICIPALITY STADIUM AMFISSA, GREECE - 5000m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-NATIONAL STADIUM OF KALAMPAKA -KALAMPAKA, GREECE-4900m<sup>2</sup>-POLTRACK SEALED SPRAYCOAT

-MONTORNES DE VALLES - BARCELONA, SPAIN - 4900m<sup>2</sup> - POLTRACK SPRAYCOAT

-THAILAND STADIUM - 4800 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-UMM GHAFAH CYCLE TRACK - AL AIN, U.A.E - 4700m<sup>2</sup> Bicycle track, Sportground-Ex system

-LYCEE FRANCAIS INTERNATIONAL THEODORE MONOD - SADIYAT, ABU DHABI, U.A.E - 4650 m<sup>2</sup> - Art. Grass POLITURF LEADER 55140

-BIG SQUARE & LRT STREET, MASDAR CITY - ABHU DHABI, U.A.E - 4600m<sup>2</sup> Bicycle track, Sportground-Ex

-DEPARTMENT OF EDUCATION ASIR REGION - KHAMIS, KSA - 4500 m<sup>2</sup> - Running track

-SERVIA STADIUM - KOZANI, GREECE - 4500m<sup>2</sup>, Running track

-STADIUM OF ISLAMIC CITY OF BAWATH IN AL-AZHAR - EGYPT - 4500m<sup>2</sup>- POLTRACK SANDWICH

-MUNICIPALITY STADIUM OF SOFADES - GREECE - 4500m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-BURGUILLOS STADIUM IN SEVILLA - SPAIN - 4400 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system

-"POSIDONIO" NATIONAL ATHLETIC CENTER - THESSALONIKI, GREECE - 4300m<sup>2</sup>- Acrylic certified flooring

-MUNICIPALITY STADIUM OF MESSINI - GREECE - 4300m<sup>2</sup>- Running track, POLTRACK SANDWICH SYSTEM

-MUNICIPAL SPORTS CENTER VELOU-VOHA - PELOPONNISOS, GREECE - 4300m<sup>2</sup>- POLTRACK SANDWICH

-COMMUNITY COLLEGE - KHAMIS, KSA - 4200 m<sup>2</sup> - Running track

-FAYOUM INIVERSITY - EGYPT - 4200m<sup>2</sup> - Polyurethane sports flooring, POLYFLEX PU System

-POLIDEPORTIVO UNIVERSIDAD ALCALA DE HENARES-MADRID,SPAIN-4000m<sup>2</sup>-POLTRACK SPRAYCOAT

**-SPORTS CLUB CENTER GLIFADA - ATHENS, GREECE - 4000m<sup>2</sup>- Poltrack Spraycoat, Running Track**  
**-EMIRATES INTERNATIONAL SCHOOL - DUBAI, U.A.E - 4000m<sup>2</sup> - Safepol System, Playground flooring**  
**-YAS NORTH EMMARATHI COMMUNITY - ABHU DHABI, U.A.E - 4000m<sup>2</sup> Bicycle track, Sportground-Ex system**  
**-RUNNING TRACK PROJECT IN QATAR - 4000m<sup>2</sup>, Poltrack Spraycoat system**  
**-RUNNING TRACK PROJECT IN SAMOS - GREECE - 4000m<sup>2</sup>, Poltrack Spraycoat system**  
**-RECONSTRUCTION OF MOROCOCHA STADIUM - PERU - 3850m<sup>2</sup> - Running track, POLTRACK SANDWICH**  
**-HH KHALID BIN BANDAR - RIYADH, KSA - 3800 m<sup>2</sup> - Volleyball/basketball rubber courts**  
**-SPORTS FLOORING COMPLEX - ISRAEL - 3700 m<sup>2</sup>, Acrylic sports flooring, SPORTFLOOR-EX system**  
**-MUNICIPALITY STADIUM OF AGIA PARASKEVI, GREECE - 3700m<sup>2</sup>- POLTRACK SANDWICH SYSTEM**  
**-MUNICIPALITY STADIUM OF HALKIDA - EUBOEA, GREECE - 3700m<sup>2</sup>- POLTRACK SANDWICH SYSTEM**  
**-RUNNING TRACK- UKRAINE - 3600m<sup>2</sup> - RunningTrack, Poltrack Spraycoat system**  
**-ANATOLIA GOLLEGE - THESSALONIKI, GREECE - 3600m<sup>2</sup>, Running track**  
**-AIMARJAN ASLAND – PARTIAL - 3600m<sup>2</sup>- Poltrack Sandwich, Running Track**  
**-RUNNING TRACK - ISRAEL - 3500m<sup>2</sup> - Running track, POLTRACK SANDWICH system**  
**-KING ABDULLAH UNIVERSITY TECHNOLOGY - K.S.A - 3500m<sup>2</sup> - Running track, POLTRACK SANDWICH system**  
**-RUNNING TRACK PROJECT - EGYPT - 3500m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system**  
**-BICYCLE TRACK PROJECT - GREECE - 3500m<sup>2</sup>- Acrylic sports flooring, SPORTGROUND-EX system**  
**-MUNICIPALITY OF ALIMOS - ATHENS, GREECE - 3500m<sup>2</sup>- Acrylic sports flooring, SPORTFLOOR FAST**  
**-MUNICIPALITY STADIUM OF HOLARGOS, ATHENS- GREECE - 3500m<sup>2</sup>- POLTRACK SANDWICH SYSTEM**  
**-MATRIX SPORTING CLUB - EGYPT - 3400m<sup>2</sup> - Polyurethane outdoor flooring, Polyflex PU-EX System**  
**-RUNNING TRACK PROJECT - EGYPT - 3400m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system**  
**-SPORTS CLUB CENTER KISSAMOS - CRETE, GREECE - 3200m<sup>2</sup>- Poltrack Sandwich, Running Track**  
**-AL LUSAIL SPORTS CLUB - DOHA, QATAR - 3200m<sup>2</sup> - Jogging track**  
**-SPORTS CLUB CENTER - SERVIA, GREECE - 3200m<sup>2</sup> - Poltrack Sandwich, Running Track**  
**-STADIUM CENTER - UKRAINE - 3200m<sup>2</sup>- RunningTrack, Poltrack Spraycoat system**  
**-KING KHALID UNIVERSITY - ABHA, KSA - 3100 m<sup>2</sup> - Running track**  
**-MUNICIPALITY STADIUM KRESTENA - GREECE - 3100m<sup>2</sup>- Poltrack Sandwich, Running Track**  
**-ISLAMIC WORLD GARDEN - SHARJA, U.A.E - 3000m<sup>2</sup>- Safety flooring, SAFEPOL MULTICOLOR system**  
**-AL FAIOUM UNIVERSITY - FAIOUM, EGYPT - 3000m<sup>2</sup>- Polyurethane indoor flooring, Polyflex PU-IN system**  
**-RUNNING TRACK PROJECT - VELVEDOS MUNICIPALITY, GREECE - 3000m<sup>2</sup>- POLTRACK SANDWICH**  
**-WADY DEGLA OCTOBER CLUB - CAIRO, EGYPT - 3000m<sup>2</sup>- Acrylic sports courts**  
**-SPORTS CLUB CENTER “PAPAGOU”- ATHENS, GREECE - 3000m<sup>2</sup>- Poltrack Sandwich, Running Track**  
**-PANORAMA SPORTS COMPLEX - THESSALONIKI, GREECE - 3000m<sup>2</sup>, Running track**  
**-PLAYGROUND FLOORING PROJECT IN NORTHERN GREECE - KILKIS, GREECE - 3000m<sup>2</sup>- SAFEPOL**  
**-TENNIS HALL OF THE DEYANG OLYNPIC SPORTA CENTER - DEYANG, CHINA - 3000 m2 - SPORTFLOOR-EX**  
**-BENHA SPORTS CITY - EGYPT - 3000m<sup>2</sup>- Acrylic sports courts**  
**-SPORTS COMPLEX IN UKRAINE - 3000m<sup>2</sup> - Safety flooring, SAFEPOL MULTICOLOR system**  
**-CHENAO TENNIS HALL OF THE CHONGGING OLYMPIC SPORTS CENTER - CHONGGING, CHINA - 3000 m2 -**  
**SPORTFLOOR-EX**  
**-JOGGING TRACK AT WATERFONT - K.S.A - 3000m<sup>2</sup> - POLTRACK JOGGING TRACK**  
**-PLAYGROUND FLOORING IN SHARJA - U.A.E - 3000m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR**  
**-SPORTS FLOORING PROJECT IN YEMEN - 3000m<sup>2</sup>- Acrylic sports courts, SPORTFLOOR-EX**  
**-SPORTS SCHOOL PROJECT - ARTA, GREECE - 3000m<sup>2</sup>- Acrylic sports courts, POLYFLEX AEL-EX**  
**-ALIMOS STADIUM - ALIMOS, GREECE - 2850m<sup>2</sup>- Running track, POLTRACK SANDWICH**

-**INDIAN ARMY - SAGAR, INDIA** - 2800m<sup>2</sup>- Acrylic sports courts

-**COLEGIO INTERNACIONAL DE LA SERENA - CHILE** - 2800 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-**ALL SAINTS SCHOOL - MUMBAI, INDIA** - 2700 m<sup>2</sup> - PU outdoor sports flooring and running track

-**INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH-BHOPAL,INDIA**-2700m<sup>2</sup>-Acrylic sports courts

-**RESORT IN RED SEA - EGYPT** - 2700m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system

-**OUR OWN GOLF SCHOOL** - 2700m<sup>2</sup>- Poltrack Spraycoat, RunningTrack

-**BAILE FIGA, BISTRITA NASAUD - ROMANIA** - 2700m<sup>2</sup> - Safety flooring, SAFEPOL MULTICOLOR system

-**STADIUM STUDENTSKA, SPORTS COMPLEX - BARNNA, BOULGARIA** - 2700m<sup>2</sup> - SPORTFLOOR-EX system

-**OUTDOOR SPORTS VENUE - VARNA, BULGARIA** - 2700 m<sup>2</sup> - Acrylic, ITF classified, 8 layers system

-**RAKS PALLIKOODAM SCHOOL - INDIA** - 2600m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system

-**DPS GUNTUR SITE, NEW DELHI INDIA** - 2600m<sup>2</sup>- Acrylic sports courts, SPORTFLOOR-EX system

-**MUNICIPAL STADIUM OF PREVEZA - GREECE** - 2600m<sup>2</sup>- Running track, POLTRACK SANDWICH

-**HIGH SCHOOL COMPLEX - ATTIKA DISTRICT** - 2500m<sup>2</sup>- Acrylic sports courts, SPORTFLOOR FAST system

-**KURNISH AL KHOBAR - K.S.A** - 2500m<sup>2</sup> - Rubber flooring, COLORFLEX system

-**AL RAYAN, QATAR** - 2500 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-**MUNICIPALITY PARK OF TRIKALA - GREECE** - 2500 m<sup>2</sup> - Running track, POLTRACK FULL-PU

-**ALHOSN SPORTS COMPLEX** - 2400 m<sup>2</sup> - Running track, POLTRACK SANDWICH system

-**PROJECT BELICA - CROATIA** - 2300 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system

-**MUNICIPAL SPORTS CENTER PAVLOU MELA - THESSALONIKI, GREECE** - 2300 m<sup>2</sup> - SPORTFLOOR-EX

-**MUNICIPALITY STADIUM OF DOXATO - GREECE** - 2300m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-**TORRES DE COTILLAS - SPAIN** - 2300m<sup>2</sup>- POLTRACK SPRAYCOAT

-**WADY DEGLA EL NAKHIL CLUB - CAIRO, EGYPT** - 2260m<sup>2</sup> - Acrylic sports courts, POLYFLEX AEL-EX

-**OUTDOOR SPORTS FLOORING PROJECT - INDIA** - 2250 m<sup>2</sup>- Acrylic sports courts, SPORTFLOOR-EX

-**SPORTS FLOORING PROJECT IN BULGARIA** - 2200 m<sup>2</sup>- Acrylic sports courts, SPORTFLOOR-EX system

-**LULU SCHOOL - ABU DHABI, U.A.E** - 2200 m<sup>2</sup> - SAFEPOL MULTICOLOR

-**TEACHERS COLLEGE - ABHA, KSA** - 2050 m<sup>2</sup> - Running track

-**MUSAB BIN OMAIR BOYS SCHOOL - BIN OMRAN, QATAR** - 2050 m<sup>2</sup> - PU outdoor sport flooring

-**BURAIRAT SCHOOL - RAK, UAE** - 2000 m<sup>2</sup> - Running track

-**SPORTS CENTRE OF GERAKAS - ATHENS, GREECE** - 2000m<sup>2</sup> - Acrylic sports courts, SPORTFLOOR-EX

-**HADAYEK ALAHRAM CLUB - GIZA, EGYPT** - 2000m<sup>2</sup>-PU outdoor sports flooring, POLYFLEX PU-EX WET- POUR

-**JP, ADA CIGANLIJA - BELGRADE, SERBIA** - 2000m<sup>2</sup> - SPORTFLOOR-EX

-**YASMINA SCHOOL - ABUDHABI, U.A.E** - 2000m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR

-**SCHOOL COMPLEX IN NAXOS ISLAND - GREECE** - 2000m<sup>2</sup> - Acrylic sports courts, SPORTFLOOR-FAST

-**MUNICIPALITY STADIUM OF MALIA, CRETE - GREECE** - 2000m<sup>2</sup>- POLTRACK SPRAYCOAT SYSTEM

-**AL SAILIYA BOYS SCHOOL - AL SAILIYA, QATAR** - 2000 m<sup>2</sup> - Polyurethane, outdoor sport flooring

-**KING KHALID UNIVERSITY - ABHA, KSA** - 2000 m<sup>2</sup> - Volleyball/basketball rubber courts

-**HH KHALID BIN BANDAR - RIYADH, KSA** - 2000 m<sup>2</sup> - Volleyball/basketball rubber courts

-**MUNICIPALITY STADIUM OF DRAMA - GREECE** - 2000m<sup>2</sup>- POLTRACK SANDWICH SYSTEM

-**RAWDA RASHEED PRIMARY SCHOOL FOR BOYS** - 2000 m<sup>2</sup> - Outdoor sports flooring

-**DEIRA INTERNATIONAL SCHOOL - DUBAI, U.A.E** - 2000 m<sup>2</sup> - POLYFLEX PU-IN

-**DAMIETTA GOVERMENT - EGYPT** - 2000m<sup>2</sup> - Running track, Poltrack Spraycoat Sealed System

-**MUNICIPAL STADIUM OF GIANNITSA-GIANNITSA,GREECE**-2000m<sup>2</sup> -Running track POLTRACK SANDWICH

-**AL WAKAIR BOYS SCHOOL - AL WAKRAH, QATAR** - 1950 m<sup>2</sup> - Polyurethane, outdoor sport flooring

-**THE LAKE DISTRICT - PUNE, INDIA** - 1950m<sup>2</sup>- Acrylic sports courts

-**PRESIDENTIAL GUARD COMMANDM MAHAWI - ABU DHABI, UAE** - 1900m<sup>2</sup> - Football court



**-GEMS CAMBRIDGE INTERNATIONAL SCHOOL - HOSHIYARPUR, INDIA - 1900m<sup>2</sup> - FLEXFLOOR-EX**  
**-MUNICIPALITY STADIUM KARPENISI, GREECE - 1900m<sup>2</sup>- POLTRACK SANDWICH SYSTEM**  
**-UNITED (SABIC) SPORTS CLUB - 1900 m<sup>2</sup> - Rubber flooring**  
**-OUTDOOR SPORTS FLOORING PROJECT - PAKISTAN - 1900 m<sup>2</sup> - WET-POUR POLYFLEX AEL-EX**  
**-SHOOLS MINISTRY OF EDUCATION - KHAMIS, KSA - 1800 m<sup>2</sup> - Rubber flooring**  
**-AL MAJAD AMPHITHEATER - SHARJA, UAE - 1800m<sup>2</sup> - Certified Jogging track**  
**-MULTIPURPOSE COURTS - KEFALONIA, GREECE - 1800m<sup>2</sup> - SPORTFLOOR-EX**  
**-QASSIM UNIVERSITY - KSA - 1800m<sup>2</sup> - Polyurethane sports flooring**  
**-MODERN ENGLISH SCHOOL - EGYPT - 1785m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT**  
**-AL QADSIYA MODEL INDEPENDENT SCHOOL - ALWAAB, QATAR - 1770 m<sup>2</sup> - PU outdoor sport flooring**  
**-MUNICIPAL SPORTS CENTER IN KIATO - GREECE - 1750 m<sup>2</sup> - POLTRACK SPRAYCOAT, SPORTFLOOR-EX**  
**-IKNS SCHOOL - BAHRAIN - 1700 m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR system**  
**-AL WAHDA SPORT ACADEMY CLUB - ABU DHABI, UAE - 1700 m<sup>2</sup> - Acrylic sports system**  
**-MUNICIPALITY STADIUM OF AGIA VARVARA - GREECE - 1700m<sup>2</sup>- POLTRACK SPRAYCOAT SYSTEM**  
**-MULTIPURPOSE ACRYLIC COURTS - BAHRAIN - 1700 m<sup>2</sup> - SPORTFLOOR-EX system**  
**-ALSARH SCOOLES OF CIVIL - RIYADH, KSA - 1650m<sup>2</sup> - PU glue/Socccer field**  
**-PLAYGROUND FLOORING PROJECT IN QATAR - 1650m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-ESTADIO PROVINCIAL DE SANDIA - PUNO, PERU - 1650m<sup>2</sup> - POLTRACK SANDWICH**  
**-GD GOENKA PUBLIC SCHOLL - PURNIA, INDIA - 1630m<sup>2</sup>- Acrylic sport1600 m<sup>2</sup>**  
**-MUNICIPALITY STADIUM OF AGIA VARVARA - GREECE - 1700m<sup>2</sup>- POLTRACK SPRAYCOAT SYSTEM**  
**-MULTIPURPOSE ACRYLIC COURTS - BAHRAIN - 1700 m<sup>2</sup> - SPORTFLOOR-EX system**  
**-ALSARH SCOOLES OF CIVIL - RIYADH, KSA - 1650m<sup>2</sup> - PU glue/Socccer field**  
**-PLAYGROUND FLOORING PROJECT IN QATAR - 1650m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-ESTADIO PROVINCIAL DE SANDIA - PUNO, PERU - 1650m<sup>2</sup> - POLTRACK SANDWICH**  
**-GD GOENKA PUBLIC SCHOLL - PURNIA, INDIA - 1630m<sup>2</sup>- Acrylic sport1600 m<sup>2</sup> - s courts**  
**-CIVIL DEFENCE TRAINING CENTER, EASTERN PROVINCE - K.S.A - 1600 m<sup>2</sup> - POLTRACK SPRAYCOAT**  
**-SPA RESORT DERENIVSKUPIA KI - UZHGOROD, UKRAINE - 1600 m<sup>2</sup> - Flexfloor-ex system, volleyball court**  
**-CIVIL DEFENCE TRAINING CENTER, EASTERN PROVINCE - K.S.A - 1600 m<sup>2</sup> - POLYFLEX PU-IN**  
**-IISER, INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH - BHOPAL, INDIA - 1600m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-EFKARPIA MUNICIPALITY - THESSALONIKI, GREECE - 1600m<sup>2</sup>- Acrylic sports courts,SPORTFLOOR-EX**  
**-GRACANICA SPORTS CENTRE - KOSOVO - 1600m<sup>2</sup> - Running Track, POLTRACK PRAYCOAT system**  
**-3 OUTDOOR BASKETBALL COURTS - RHODES ISL GREECE - 1600 m<sup>2</sup> - FLEXFLOOR-EX system**  
**-RUNNING TRACK PROJECT IN BOSNIA & HERZEGOVINA - 1585<sup>2</sup> - POLTRACK PRAYCOAT**  
**-THE MILITARY HOSPITAL - RIYADH, KSA - 1560 m<sup>2</sup> - Volleyball/basketball rubber courts-PU sports flooring**  
**-STADIUM IN BAJRAM CURRI - TROPOJA, ALBANIA - 1550 m<sup>2</sup> - SPRAYCOAT system**  
**-SCHOOL SPORTS COMPLEX IN POLIGIROS - GREECE - 1550m<sup>2</sup>- Acrylic flooring, SPORTFLOOR FAST**  
**-AL FORSHAN SPORTS CENTRE - ABU DHABI, U.A.E - 1500m<sup>2</sup> - Smartfloor system, Acrylic flooring**  
**-INDUSTRIAL FLOORING - BULGARIA - 1500m<sup>2</sup> - Epoxy flooring, Polepox Coat 814 system**  
**-SCHOOL IN AL WAKRA CITY - DOHA, QATAR - 1500 m<sup>2</sup> - Playground flooring**  
**-REAL SCHOOL SHAH ALAM - MALAYSIA - 1500 m<sup>2</sup> - POLTRACK SPRAYCOAT**  
**-IRAQ ARMY CAMP - IRAQ - 1500m<sup>2</sup> - Acrylic flooring in 2,2mm**  
**-BICYCLE TRACK PROJECT - LARISA-TRIKALA, GREECE - 1500 m<sup>2</sup> - SPORTGROUND-EX**  
**-PROJECT GREEN LAND - DUBAI, UAE - 1500 m<sup>2</sup> - Jogging track**  
**-UP TOWN SCHOOL - 1500m<sup>2</sup>- Poltrack Spraycoat, RunningTrack**

**-INDIAN AIR FORCE - ALLAHABAD, INDIA - 1450m<sup>2</sup> - Acrylic sports courts**  
**-OUTDOOR SPORTS COURT COMPLEX - INDIA -1400m<sup>2</sup> - PU flooring, WET-POUR POLYFLEX PU-EX**  
**-SPORTS FLOORING PROJECT IN KOSOVO - STREET BALL - 1400m<sup>2</sup> - SPORTFLOOR-EX**  
**-DUBAI MODERN HIGH SCHOOL - DUBAI, UAE - 1375 m<sup>2</sup> - Acrylic sports courts**  
**-PROJECT ECOGREEN - DUBAI, UAE - 1350 m<sup>2</sup> - Jogging track**  
**-SAVA BASELINE ACADEMY - MALTA - 1350m<sup>2</sup> - SMARTFLOOR-EX**  
**-TENNIS CLUB CENTER IN LJUBLJANA - SLOVENIA - 1350m<sup>2</sup>- SPORTFLOOR-EX**  
**-SPORTS FLOORING PROJECT - BANSKO, BULGARIA - 1350 m<sup>2</sup> - Acrylic sports courts**  
**-”10” NATIONAL TV STATION - KOSOVO - 1300 m<sup>2</sup> - Outdoor, acrylic flooring, WET POUR POYFLEX AEL-EX**  
**-POLICE COMPLEX BARRACKS NIZWA - OMAN- 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS AL AJAIZ - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS KATMATMILAH SITE - OMAN- 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS SUWAIQ - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS AL KAMIL - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-PLAYGROUND FLOORING - BAHRAIN - 1300m<sup>2</sup> - Safepol system**  
**-POLICE COMPLEX BARRACKS SHINAS - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS BHALA - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS MUDHAIBI - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS THUMRAIT - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-BASKETBALL COURTS PROJECT - NEAPOLI, THESSALONIKI, GREECE - 1300m<sup>2</sup> - SPORTFLOOR-EX**  
**-POLICE COMPLEX BARRACKS AL KHOUDH - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS MAHDAH - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS BID BID - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS AL KHABOORA - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS DHANK - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS HAFEET - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS AUQAD - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-POLICE COMPLEX BARRACKS SUMAIL - OMAN - 1300 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-MATRIX SPORTING CLUB - EGYPT - 1300 m<sup>2</sup> - Acrylic flooring, Flexfloor System**  
**-OUTDOOR SPORTS VENUE - KOSOVO - 1300 m<sup>2</sup> - POLTRACK SPRAYCOAT System**  
**-MUNICIPALITY SPORTS CENTRE SYKIES, THESSALONIKI - GREECE - 1300m<sup>2</sup>- POLTRACK SANDWICH**  
**-SPORTS HALL IBRI - MUSCAT, OMAN - 1300 m<sup>2</sup> - Indoor sports flooring POLYFLEX PU-IN**  
**-IK TENNIS ACADEMY - MALTA - 1300 m<sup>2</sup> - SPORTFLOOR-EX HARD COURT**  
**-ALHALAFI BREAK - RIYADH, KSA - 1276 m<sup>2</sup> - Rubber flooring**  
**-DELHI PUBLIC SCHOOL - ETAWAH, INDIA - 1250m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system**  
**-SCHOOL SPORTS PROJECT - ARTASHAT, ARMENIA - 1250m<sup>2</sup>- COLORLFEX-EX**  
**-GI-DHOFAR BEACH RESORT & SPA - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-RLS BASIC EDUCATION SCHOOL SOHAR - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-MIXED BASIC EDUCATION SCHOOL AL QABIL - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-BOYS BASIC EDUCATION SCHOOL BARKHA - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-GIRLS BASIC EDUCATION SCHOOL MUDHAIBI - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-MIXED BASIC EDUCATION SCHOOL AL AMERAT - OMAN - 1225 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-UMSALAMA GIRLS SCHOOL - AL RAYYAN, QATAR - 1200 m<sup>2</sup> - Polyurethane, outdoor sport flooring**  
**-SHERATON PARK - DOHA, QATAR - 1200 m<sup>2</sup> - Playground flooring**  
**-RAWDA BIN JASSIM SCHOOL - AL AZIZIYAH, QATAR, 1200 m<sup>2</sup> - Polyurethane, outdoor sport flooring**

-GEMS WESTMINSTER SCHOOL - DUBAI, U.A.E - 1200 m<sup>2</sup> - Acrylic sports courts

-SILVER SPORTS CLUB - INDIA - 1200m<sup>2</sup>- Acrylic sports courts

-OUR OWN SCHOOL - SHARJA, U.A.E - 1200m<sup>2</sup> - Acrylic sports courts

-SHARJAH FOOTBALL CLUB - SHARJAH, UAE - 1200 m<sup>2</sup> - Polyurethane basketball courts

-SHERATON PARK - DOHA, QATAR - 1200 m<sup>2</sup> - Playground flooring

-CHILE RUNNING TRACK PROJECT - 1200 m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT system

-EGYPT RUNING TRACK PROJECT - 1200m<sup>2</sup>, Running Track, POLTRACK SPRAYCOAT system

-EGYPT RUNING TRACK PROJECT - 1200m<sup>2</sup>, Running Track, POLTRACK SANDWICH system

-ALIGARH MUSLIM UNIVERSITY - ALIGARH, INDIA - 1200 m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system

-SUMMER RESORT, KIDS PALLY AREA - CHALKIDIKI, GREECE - 1200 m<sup>2</sup> - Playground flooring, SAFEPOL

-SPORTS FLOOR PROJECT IN PAKISTAN - 1200 m<sup>2</sup> - Acrylic sports courts, POLYFLEX AEL-EX

-SCHOOL COMPLEX - ZAKINTHOS, GREECE - 1200 m<sup>2</sup> - Acrylic sports courts, SPORTFLOOR FAST

-SYMBIOSIS COLLEGE - INDIA - 1180m<sup>2</sup>- Acrylic sports courts

-SPORTS PROJECT IN EGYPT - 1170m<sup>2</sup>- Acrylic sports courts, POLYFLEX AEL-EX

-PROFESSOR ABDULAZIZ ANQARI - RIYADH, KSA -1150m<sup>2</sup> - PU glue/Socccer field

-ACRYLIC, OUTDOOR SPORTS FLOORING PROJECT - KARACHI, PAKISTAN -1150m<sup>2</sup> - FLEXFLOOR-EX

-AL SAQID ISLAMIC ENGLISH SHCOLL-DUBAI,UAE-1100m<sup>2</sup>- Acrylic flooring, WET-POUR POLYFLEX AEL-EX

-REAL SCHOOL HULU LANGAT - MALAYSIA - 1100m<sup>2</sup> - POLTRACK SPRAYCOAT

-MAADI BRITISH SCHOOL- EGYPT - 1100m<sup>2</sup>, Multipurpose court, COLORFLEX system

-OUTDOOR SPORTS PROJECT IN FOCSANI REGION - ROMANIA - 1100m<sup>2</sup> - POLTRACK SPRAYCOAT

-CENTRAL SQUARE OF MUNICIPALITY OF THERMI - THESSALONIKI, GREECE - 1100m<sup>2</sup>, Decorative flooring MARMOR FLOOR system

-GREEK TECHNOLOGICAL EDUCATIONAL INSTITUTE OF THESSALIA - GREECE - 1100m<sup>2</sup>, Running Track, POLTRACK SANDWICH system

-NANSHA INTERNATIONAL TENNIS CENTER - GUANGZHOU, CHINA - 1000 m<sup>2</sup> - SPORTFLOOR-EX

-KORYDALLOS DISTRICT - ATHENS, GREECE - 1100m<sup>2</sup> - FLEXFLOOR-EX

-CINEGUILLA - PERU - 1100m<sup>2</sup> - POLYFLEX PU-EX

-FIRST POINT SCHOOLS - DUBAI, UAE1100m<sup>2</sup> - Acrylic sports courts

-OUTDDOR SPORTS FLOORING PROJECT-ARTA, GREECE-1100m<sup>2</sup>-POLYFLEX AEL-EX & SPORTFLOOR

-TUMBES - PERU - 1100m<sup>2</sup> - POLYFLEX PU-IN

-DUBAI AMERICAN ACADEMY - DUBAI, UAE - 1080 m<sup>2</sup> - Acrylic sports court

-PRELUDE PUBLIC SCHOOL - AGRA, INDIA - 1070m<sup>2</sup>- Acrylic sports courts

-INDOOR SPORTS FLOORING PROJECT - JORDAN - 1055m<sup>2</sup> - Polyurethane POLYFLEX PU-IN

-ALMGBAL BREAK - RIYADH, KSA - 1050 m<sup>2</sup> - Rubber playground

-PLAYGROUND MULTI-PROJECT IN HUANCVELICA - PERU - 1050 m<sup>2</sup> - SAFEPOL MULTICOLOR

-BANIYAS CLUB AND AL AIN ENGLISH SPEAKING SCHOOL - ABU DHABI, UAE - 1000m<sup>2</sup> - Acrylic flooring

-WADY DEGLA LOTUS PROJECT - CAIRO, EGYPT - 1000 m<sup>2</sup> - Acrylic flooring, Wet-Pour Polyflex AEL-EX

-GRAVA SCHOOL COMPLEX - ATHENS, GREECE - 1000 m<sup>2</sup> - POLTRACK SANDWICH RETTOPING

-INDIAN AIR FORCE - VARANASI, INDIA - 1000m<sup>2</sup> - Acrylic sports courts

-MULTIPURPOSE COURT - K.S.A - 1000m<sup>2</sup>- WET-POUR POLEFLEX AEL-EX

-GARDENIA RESIDENTS - DUBAI, U.A.E - 1000 m<sup>2</sup> - SAFEPOL MULTICOLOR system

-JINDAL UNIVERSITY - SONIPAT, HARYANA, INDIA - 1000m<sup>2</sup> - PU flooring WET-POUR POLYFLEX PU-EX

-MINISTRY OF EDUCATION - DAMMAM, KSA - 1000 m<sup>2</sup> - PU indoor multipurpose sports flooring

-SHEIKH OBEID MAKTHOUM PALACE - 1000m<sup>2</sup> - Outdoor polyurethane flooring

-PAVILHAO POLIDESPORTIVO - SAO JOAO DA PESQUEIRA - PORTUGAL - 1000 m<sup>2</sup> - POLYFLEX PU-IN

**-INDIAN AIR FORCE - AGRA, INDIA - 1000m<sup>2</sup> - Acrylic sports courts**  
**-INDONESIA - 1000 m<sup>2</sup> - PU indoor multipurpose sports flooring**  
**-FOOTBALL PITCH PROJECT IN CHALKIDIKI - GREECE-1000 m<sup>2</sup> Artificial Grass POLITURF TRIUMPH 60100**  
**-INDIAN AIR FORCE - LUCKNOW, INDIA - 1000m<sup>2</sup> - Acrylic sports courts**  
**-MULTIPURPOSE POLYURTEHANE INDOOR COURTS - F.Y.R.O.M - 1000m<sup>2</sup> - Polyflex PU-In system**  
**-SODIC PROJECT - EGYPT - 1000m<sup>2</sup>, Multipurpose court, COLORFLEX system**  
**-MUNICIPALITY STADIUM OF LARISA "ALKAZAR"- GREECE -1000m<sup>2</sup>-POLTRACK SANDWICH RETTOPING**  
**-INDIAN AIR FORCE - VARANASI, INDIA - 1000m<sup>2</sup> - Acrylic sports courts**  
**-INTERNATIONAL SCHOOL OF CREATIVE SCHIENCE - SHARJAH, U.A.E - 1000m<sup>2</sup> - Safepol System**  
**-INDIAN AIR FORCE - BIHTA, INDIA - 1000m<sup>2</sup> - Acrylic sports courts**  
**-INDIAN AIR FORCE - DARBHANGA, INDIA - 1000m<sup>2</sup> - Acrylic sports courts**  
**-AL AIN INDIAN SCHOOL - AL AIN, UAE - 1000m<sup>2</sup> - Football court**  
**-GREEK AIR FORCE ACADEMY - TATOI, ATHENS, GREECE - 1000m<sup>2</sup> - PU flooring, POLYFLEX PU-IN**  
**-DUBAI SCHOLRAS PRIVATE SCHOOL - DUBAI, U.A.E - 1000m<sup>2</sup> - Acrylic flooring in 2,2mm**  
**-OBOOR SPORTS CLUB - EGYPT - 1000m<sup>2</sup> - Acrylic flooring**  
**-CAMANA - PERU - 1000m<sup>2</sup> - POLYFLEX PU-IN**  
**-INDOOR SPORTS PROJECT IN OMAN - MINISTRY OF EDUCATION - 1000m<sup>2</sup> - PU sports flooring**  
**-VIT AP CAMPUS, AMARAVANTHI, VIJAYAWADA, ANDHRA PRADESH - INDIA - 985m<sup>2</sup> POLYFLEX PU-IN**  
**-MONARCH INTERNATIONAL SCHOOL - 950m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system**  
**-FOOTBALL COURT - LIMASSOL, CYPRUS - 950m<sup>2</sup> - Artificial grass, POLITURF IMPERIAL 50140**  
**-MULTISPORT FIELD GADIME - KOSOVO - 950m<sup>2</sup> - POLTRACK SPRAYCOAT**  
**-COMMUNITY COLLEGE - KHAMIS, KSA - 940 m<sup>2</sup> - Polyurethane indoor multipurpose sports flooring**  
**-GEMS METROPOLE SCHOOL - DUBAI, U.A.E - 900 m<sup>2</sup> - Playground flooring**  
**-PLAYGROUND FLOORING IN KHARKIV-2 - UKRAINE - 900m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-MINISTRY OF EDUCATION - ABHA, KSA - 900 m<sup>2</sup> - Polyurethane indoor multipurpose sports flooring**  
**-BAB AL SHAMS SPA HOTEL - DUBAI, UAE - 900m<sup>2</sup> - Football court**  
**-STREET BALL COURTS - BOSNIA 7 HERZEGOVINA - 880m<sup>2</sup> - POLTRACK SPRAYCOAT system**  
**-CAIRO FESTIVAL CITY ORIANA PROJECT - EGYPT - 855m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR**  
**-INDIAN NAVY - KOCHI, INDIA - 850m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-PARCONA - PERU - 850m<sup>2</sup> - POLYFLEX PU-EX**  
**-SCHOOL SPORTS COMPLEX - K.S.A - 850m<sup>2</sup> - POLYFLEX AEL-EX**  
**-CHICAUMA PROJECT - CHILE - 850m<sup>2</sup> - SAFEPOL MULTICOLOR**  
**-JUBAIL - K.S.A - 850m<sup>2</sup> - WETPOUR POLYFLEX AEL-EX**  
**-PLAYGROUND PROJECT IN KILKIS - GREECE - 850m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR**  
**-GALGOTIAS UNIVERSITY - NOIDA, INDIA - 830m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system**  
**-KING KHALID UNIVERSITY - ABHA, KSA - 820 m<sup>2</sup> - Polyurethane indoor multipurpose sports flooring**  
**-SCHOOL COMPLEX - KOSOVO - 820 m<sup>2</sup> - SPORTFLOOR-EX, ITF classified – class 4**  
**-YLL MORINA SCHOOL - GJAKOVA, KOSOVO - 810m<sup>2</sup>- Outdoor sports project, POLTRACK SPRAYCOAT**  
**-GYMNASIUM IN OBERHOFFEN - ALSACE, FRANCE - 800m<sup>2</sup>- POLYFLEX PU-IN**  
**-SPORTS CENTER ANTIRIO - GREECE - 800m<sup>2</sup> - Running track POLTRACK SPRAYCOAT**  
**-JINDAL UNIVERSITY - SONIPAT, HARYANA, INDIA - 800m<sup>2</sup> - POLTRACK JOGGING TRACK**  
**-ARTIFICIAL GRASS - STATOVCHA, BULGARIA - 800m<sup>2</sup> - Artificial grass, POLITURF ROYAL 5588**  
**-SCHOOL IN AL WAKRA CITY - DOHA, QATAR - 800m<sup>2</sup> - Polyurethane sports flooring**  
**-LYCEE FRANCAISE PROJECT - BEIRUT, LEBANON - 800m<sup>2</sup> - Acrylic sports flooring**



**-SULTAN MANOR - RIYADH, KSA - 800m<sup>2</sup> - Polyurethane multipurpose sports flooring**  
**-MINISTRY OF EDUCATION - AL KHARIZ, KSA - 800m<sup>2</sup> - PU indoor multipurpose sports flooring**  
**-GEMS AMERICAN ACADEMY - ABU DHABI - U.A.E - 800m<sup>2</sup> - Running track POLTRACK SANDWICH**  
**-INDOOR SPORTS COURT - MALAYSIA - 800m<sup>2</sup> - PU indoor sports flooring**  
**-KID'S PLAY AREA IN MALL - MOROCCO - 800m<sup>2</sup> - PU indoor sports flooring, POLYFLEX PU-IN system**  
**-MARASSI R1 PROJECT - EGYPT - 800m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR system**  
**-SPORTS CENTER GLIFADA, ATHENS - GREECE - 800m<sup>2</sup> - Running track POLTRACK SANDWICH**  
**-SPORTS CENTER VRILISIA, ATHENS - GREECE - 800m<sup>2</sup> - Running track POLTRACK SANDWICH**  
**-DUBAI ENGLISH SPEAKING COLLEGE - DUBAI, UAE - 783m<sup>2</sup> - Acrylic flooring, SPORTFLOOR-EX**  
**-MULTIPURPOSE COURT - YEREVAN - ARMENIA - 765m<sup>2</sup> - COLORFLEX-EX**  
**-HAYATABAD PESHAWAR - INDIA - 750m<sup>2</sup> - Polyurethane sports flooring, POLYFLEX PU-IN**  
**-SINGAPORE AIRLINES - SINGAPORE - 735m<sup>2</sup> - PU indoor sports flooring**  
**-CJM MIZIARA SCHOOL - LEBANON - 730m<sup>2</sup> - WET-POUR POLYFLEX AEL-EX**  
**-AL DAJAN COMPANY - GASIM, KSA - 722m<sup>2</sup> - Polyurethane sports flooring/Tennis court**  
**-SELECTIVE GOVERNMENT HIGH SCHOOL - EGYPT - 720m<sup>2</sup>, Outdoor sports flooring**  
**-INDIAN AIR FORCE - AHMEDABAD, INDIA - 720m<sup>2</sup>- Acrylic sports courts**  
**-FITNESS TIME - FAYSALIA, DAMMAM, KSA - 700 m<sup>2</sup>-PU indoor multipurpose sports flooring/running track**  
**-FITNESS TIME YASMEEN - RIYADH, KSA - 700 m<sup>2</sup> - PU indoor multipurpose sports flooring/running track**  
**-FERRARI WORLD - ABU DHABI, UAE - 700m<sup>2</sup> - Playground flooring**  
**-KOHAT SPORTS COMPLEX - PAKISTAN - 700m<sup>2</sup> - PU flooring, POLYFLEX PU-IN**  
**-FITNESS TIME JUNIOR - RIYADH, KSA - 700 m<sup>2</sup> - PU indoor multipurpose sports flooring/running track**  
**-FITNESS TIME - OLAYA RIYADH, KSA - 700 m<sup>2</sup> - PU indoor multipurpose sports flooring/ running track**  
**-FITNESS TIME WAHA - RIYADH, KSA - 700 m<sup>2</sup> - PU indoor multipurpose sports flooring/running track**  
**-FITNESS TIME, NOOR BRANCH - DAMMAM, KSA -700 m<sup>2</sup> - PU indoor sports flooring and running track**  
**-FITNESS TIME, ALAMEEN BRANCH - DAMMAM, KSA - 700 m<sup>2</sup> - PU indoor sports flooring and running track**  
**-FITNESS TIME, PLUS RIYADH - RIYADH, KSA - 700 m<sup>2</sup> - PU indoor sports flooring and running track**  
**-FITNESS TIME, SALAMA BRANCH BRO & FITNESS - JEDDAH, KSA - 700 m<sup>2</sup> - PU indoor sports flooring**  
**-FITNESS TIME, 40th BRANCH - JEDDAH, KSA - 700 m<sup>2</sup> - PU indoor sports flooring and running track**  
**-NASR CLUB- EGYPT - 700m<sup>2</sup>, Multipurpose court, POLYFLEX WET-POUR system**  
**-HUREL DOUBLE 3 - RAS AL KHAIMH, KSA - 700 m<sup>2</sup> - Shockpad plus acrylic coatings**  
**-THE SUSTAINABLE CITY - DUBAI, U.A.E - 700 m<sup>2</sup> - Acrylic flooring**  
**-PROJECT IN MALTA - 700 m<sup>2</sup> - Acrylic flooring, SPORTFLOOR-EX system**  
**-EMAAR - EMIRATES HILLS 2 - DUBAI, U.A.E - 700m<sup>2</sup> - Basketball court, Acrylic flooring**  
**-AIRFORCE SURBOTO PARK - NEW DELHI, INDIA - 680 m<sup>2</sup> - Polyurethane outdoor sports flooring**  
**-INDIAN ARMY - DHRANGDHARA, INDIA - 670m<sup>2</sup> - Acrylic sports courts**  
**-MT.SAINT PATRICK ACADEMY - INDIA - 665m<sup>2</sup>- Acrylic sports courts**  
**-RAJIV GANDHI THERMAL POWER PLANT - HISAR, INDIA - 650m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX**  
**-JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY ANANTAPURAMU - ANANTAPUR, INDIA - 650m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-TILAL HOTEL - DUBAI, U.A.E - 650 m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-REGIONAL HQ AT BURAIMI - OMAN - 650 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-PLAYGROUND FLOORING PROJECT IN LARNAKA, CYPRUS - 650 m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-ROYAL OMAN POLICE TASK FORCE RUSTAQ - OMAN - 650 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE LIWA - OMAN - 650 m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE AL SALIL - OMAN - 650 m<sup>2</sup> - Colorflex, PU sport flooring**

**-OUTDOOR TENNIS COURTS - KOSOVO - 650m<sup>2</sup> - Acrylic sports courts, SPORTFLOOR-EX**  
**-ROYAL OMAN POLICE TASK FORCE IBRI - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE IBRA - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE AL SUR - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-3 PICKLEBALL COURTS IN CRAZ CITY - AUSTRIA - 650m<sup>2</sup> - Acrylic sports flooring, FLEXFLOOR-EX system**  
**-ROYAL OMAN POLICE TASK FORCE AL DUKUM - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE AL BURAIMI - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-OASIS COMPLEX - K.S.A - 650m<sup>2</sup> - WET-POUR POLYFLEX PU-IN system**  
**-ROYAL OMAN POLICE TASK FORCE AL NIZWA - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE AL SUWAIQ - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ABU DHABI MUNICIPALITY - ABU DHABI , UAE - 650m<sup>2</sup> - Acrylic flooring**  
**-INDOOR BASKETBALL COURT - JUBAIL - K.S.A - 650m<sup>2</sup> - WET-POUR POLYFLEX PU-IN system**  
**-ST. MARY'S SCHOOL - LEMESOS, CYPRUS - 650m<sup>2</sup> - Playground flooring, SAFEPOL MULTICOLOR**  
**-ROYAL OMAN POLICE TASK FORCE AL SALALAH - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE AL BARKHA - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-ROYAL OMAN POLICE TASK FORCE KHOUDH - OMAN - 650m<sup>2</sup> - Colorflex, PU sport flooring**  
**-MULTIPURPOSE COURTS - TIRANA, ALBANIA - 650m<sup>2</sup> - Acrylic sports flooring, FLEXFLOOR system**  
**-PLAYGROUND FLOORING IN KHARKIV-3 - UKRAINE - 650m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-MOHAMMED JASSIM M AL THANI SCHOOL - UMSALALALI, QATAR - 620m<sup>2</sup> - PU outdoor sport flooring**  
**-QATAR GEMS SCHOOL - DOHA, QATAR - 615m<sup>2</sup> - Polyurethane sports flooring**  
**-VELOOR THRISSUR DISTRICT - KERALA, INDIA - 610m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-PUBLIC PARK - ABU DHABI, U.A.E - 610m<sup>2</sup> - Acrylic sports courts, SPORTFLOOE-EX FAST system**  
**-VAISHNO DEVI - DELHI, INDIA - 610m<sup>2</sup> - Polyurethane outdoor sports flooring**  
**-EQUINE FLOORING - BAHRAIN - 600m<sup>2</sup>, POLTRACK EQUESTRIAN SYSTEM**  
**-THAILAND - 600m<sup>2</sup> - Acrylic sports courts**  
**-VILLA SINMAC PARK - SAN ANTONIO, PERU - 600m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-WATER'S EDGE RESIDENTIAL DEV'T - YAS ISLAND, ABHU DHABI, U.A.E - 600m<sup>2</sup> Sportground-Ex system**  
**-PLAYGROUND FLOORING IN BAHRAIN - 600m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-PLAYGROUND FLOORING IN KHARKIV - UKRAINE - 600m<sup>2</sup> - SAFEPOL MULTICOLOR system**  
**-INDIAN ARMY - AGRA, INDIA - 600m<sup>2</sup> - Acrylic sports courts**  
**-THE INTERNATIONAL SCHOOL - AGRA, INDIA - 600m<sup>2</sup> - Acrylic sports courts**  
**-INDIAN ARMY - JHANSI, INDIA - 600m<sup>2</sup> - Acrylic sports courts**  
**-THE SUSTAINABLE CITY - DUBAI, U.A.E - 600m<sup>2</sup> - Safepol system**  
**-AMITY SCHOOL, JUMEIRAH ISLAND - DUBAI, UAE - 600m<sup>2</sup> - Safepol system**  
**-QUEEN ZAIN AL SHARAF HALL - JORDAN - 600m<sup>2</sup> - POLYFLEX PU-IN**  
**-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - 600m<sup>2</sup> - Flexfloor system**  
**-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - 600m<sup>2</sup> - Polyflex Ael-EX system**  
**-ST. FRANCIS INTER COLLEGE - HATHRAS, INDIA - 600m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-ST. ANTHONY'S SENIOR SECONDARY SCHOOL - FARRUKHABAD, INDIA - 600m<sup>2</sup> - FLEXFLOOR-EX**  
**-SKATING FOR KIDS - GUJARAT, INDIA - 600m<sup>2</sup> - Sportfloor system**  
**-IMS COLLEGE - GHAZIABAD, INDIA - 600m<sup>2</sup> - Acrylic sports courts, FLEXFLOOR-EX system**  
**-GALGOTIAS COLLEGE OF ENGINEERING - GR. NOIDA, INDIA -600m<sup>2</sup>-Acrylic sports courts,FLEXFLOOR-EX**  
**-HOTEL COMPLEX IN DHERMI, ALBANIA - 600m<sup>2</sup> - Acrylic sports courts, SPORTFLOOR-EX system**  
**-DANIEL BECCERA OCAMPO EDUCATIONAL INSTITUTION-MONQUEGUA,PERU - 580m<sup>2</sup>POLYFLEX PU-EX**  
**-TATLAY AALI SPORTS COMPLEX - PAKISTAN - 500m<sup>2</sup> - PU flooring,POLYFLEX PU-IN**

-NEW DUBAI BRADENTON SCHOOL- DUBAI, UAE - 570m<sup>2</sup> - Acrylic sports courts

-«CRONWELL PLATAMON RESORT» HOTEL IN PLATAMONAS - GREECE - 560m<sup>2</sup> - SPLASH PARK FLOORING, AQUASOFT-EX system

-DUBAI SILICON OSIS-CENTRAL PARK, DSO - DUBAI, UAE - 560 m<sup>2</sup> - Jogging track

-MPS WORLD SCHOOL - AGRA, INDIA - 560m<sup>2</sup>- Acrylic sports courts

-LEADERS INTERNATIONAL SCHOOLS - EGYPT - 560m<sup>2</sup>- PU sports courts

-PLAYGROUND PROJECT IN AL KASIM - K.S.A - 560m<sup>2</sup>- SAFEPOL MULTICOLOR

-HARTLAND INTERNATIONAL SCHOOL - U.A.E - 550m<sup>2</sup>- SAFEPOL MULTICOLOR system

-PLAYGROUND FLOORING PROJECT IN SINGAPORE - 550m<sup>2</sup>- SAFEPOL MULTICOLOR system

-ARMY LAW COLLEGE PUNE- PUNE, INDIA - 550m<sup>2</sup>- Acrylic sports courts, FLEXFLOOR-EX system

-AL WUKAIR GIRLS SCHOOL - AL WAKRAH, QATAR - 550m<sup>2</sup> - Polyurethane, outdoor sport flooring

-AL BUROUJ PROJECT, SPORTS CLUB - EGYPT - 550m<sup>2</sup> - Running track, POLTRACK SPRAYCOAT

-PLAYGROUND PROJECT IN CYPRUS - 550m<sup>2</sup>- SAFEPOL MULTICOLOR system

-BBPS - DELHI, INDIA - 512m<sup>2</sup> - Polyurethane outdoor sports flooring

-IVY STATE - PUNE, INDIA - 511m<sup>2</sup>- Acrylic sports courts

-KUNAL ICONIA - INDIA - 510m<sup>2</sup>- Acrylic sports courts

-PORT CISNE - CHILE - 500m<sup>2</sup> - SAFEPOL MULTICOLOR

-AGRICULTURE UNIVERSITY PESHAWAR - INDIA - 500m<sup>2</sup> - Polyurethane sports flooring, POLYFLEX PU-IN

-LJUBUSKY PROJECT - BOSNIA & HERZEGOVINA - 500m<sup>2</sup> - Acrylic sports flooring FLEXFLOOR-EX

-MURIDKE SPORTS COMPLEX-SHEIKHUPURA, PUNJAB, PAKISTAN - 500m<sup>2</sup>-PU flooring,POLYFLEX PU-IN

-CRNA REKA PETROL - NORTH MACEDONIA - 500m<sup>2</sup> - Acrylic flooring, FLEXFLOOR-EX

-ONE PARK AVENUE, SOBHA HARTLAND - U.A.E - 500m<sup>2</sup> - SAFEPOL MULTICOLOR system

-VARIOUS PLAYGROUND PROJECTS IN ABU DHABI - U.A.E - SAFEPOL MULTICOLOR system

-AMERICAN SCHOOL OF DUBAI - DUBAI, UAE - Acrylic sports courts

-ETIHAD MUSEUM - JUMEIRAH, DUBAI, UAE - Rubber flooring

-SHENZHEN CITY VALLEY - CHINA - Acrylic sports flooring

-CARPARKING - ABU DHABI, UAE - Acrylic flooring

-DUBAI MILLENIUM SCHOOL - QUSAIS, UAE - Acrylic sports courts

-AMERICAN UNIVERSITY - DUBAI, UAE – Acrylic outdoor sports flooring

-RAK ACADEMY - RAK, UAE - Acrylic flooring

-ISCS - SHARJA, UAE - Acrylic flooring

-THE INTERNATIONAL SCHOOL OF CHOUEIFAT - AJMAN, U.A.E - Sportground-Ex system

-THE KINDER GARDEN STARTERS - DUBAI, U.A.E - Safepol system

-AL ZAHIA PROJECT - SHARJA, UAE - Safepol system

-WADY DEGLA SHERATON CLUB - CAIRO, EGYPT - Acrylic sports flooring

-NEW DUBAI BRADENTON SCHOOL- DUBAI, UAE - 570m<sup>2</sup> - Acrylic sports courts

-PLAYGROUND PROJECT IN QATAR - SAFEPOL MULTICOLOR

-GEMS WELLINGTON SCHOOL - DUBAI, U.A.E - Safepol system

-JUMEIRAH RETAIL DEVELOPMENT - JUMEIRAH, DUBAI, UAE - Safety rubber flooring

-MR.ABDULRHMIN - JUBAIL, KSA - Rubber playground

-GEMS WESTMINISTER SCHOOL - DUBAI, U.A.E - Safepol system

-POLYURETHANE INDOOR SPORTS COURT - TIRANA, ALBANIA - Polyflex PU-In system

-MULTIPURPOSE COURTS - ODESSA, UKRAINE - Rubber flooring

-MULTIPURPOSE COURTS - ZHOVKVA, UKRAINE - Rubber flooring

-MUNICIPAL TENNIS CLUB - PATRA, GREECE - Flexfloor-EX system, Acrylic sports courts

-INDIAN AIR FORCE - GORAKHPUR, INDIA - Acrylic sports courts

-INDIAN AIR FORCE - BAREILLY, INDIA - Acrylic sports courts

-INDIAN ARMY - BABINA, INDIA - Acrylic sports courts

-ADAM AIRBASE PACKAGE 8, OMAN - Colorflex, PU sport flooring

-GOLD GYM - KOLKATTA, INDIA - Polyurethane indoor sports flooring

-MINISTRY OF FOREIGN AFFAIRS - ABU DHABI, UAE - Polyurethane flooring

-SHRJAH SPORTS CLUB - SHARJAH, UAE - Polyurethane flooring

-GEMS WINCHESTER SCHOOL - AL BARSHA SOUTH, UAE - Acrylic sports system

-HOTEL DOUBLE 3 - RAS AL KHAIMAH, UAE - Prefabricated shock-pad 4mm plus acrylic coatings

-ALNABBAGH STABLE - AL AIN, U.A.E - Polyurethane flooring, POLTRACK EQUESTRIAN FLOORING

-AL WAHDA CLUB - ABU DHABI, UAE - Rubber flooring

-ADJD MAIN BUILDING LANDSCAPE PROJECT - ABU DHABI, UAE - Rubber flooring

-KADEEJ AL KURBA SCHOOL - ABU DHABI, UAE - Rubber flooring

-INTERNATIONAL SCHOOL OF CREATIVE SCIENCE-SHARJA, U.A.E-Flexfloor system/Outdoor Multipurpose court

-ENVIRO, VATIKA HOTELS PVT.LTD - GURGAON, INDIA - Acrylic sports flooring

-ASHIANA - BHUBANESHWAR, INDIA - Acrylic sports flooring

-TCS, ADIBATLA - HYDERABAD, INDIA - Acrylic sports flooring

-IPS, ERODE - CHENNAI, INDIA - Acrylic sports flooring

-LIONS GATE - MUMBAI, INDIA - Acrylic sports flooring

-MORNING GLORY INFRA LIMITED - KANPUR, INDIA - Acrylic sports flooring

-SPORTS HALL ZVORNIK - BOSNIA & HERZEGOVINA - PU flooring POLYFLEX PU-IN

-NAMBIAR - BANGALORE, INDIA - Acrylic sports flooring

-PATHWAYS - GURGAON, INDIA - Acrylic sports flooring

-WELHAMS GIRLS SCHOOL - DEHRADUN, INDIA - Acrylic sports flooring

-WOODDUCK COMMERCIAL CENTER- IRAN - Industrial flooring

-ARABIAN RANCHES by EMAR - DUBAI, U.A.E - Playground flooring

-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E - Playground flooring

-POLO CLUB GHANTOOT - ABU DHABI, U.A.E - Polyurethane flooring, POLTRACK EQUESTRIAN FLOORING

-RAK MODERN SCHOOL - RAS AL KHAIMAH, U.A.E - Playground flooring

-GIIS/GLOBAL INDIAN INTERNATIONAL SCHOOL - RAS AL KHAIMAH, U.A.E - Playground flooring

-MINISTRY OF EDUCATION, NAD AL HAMAR BOYS SCHOOL - DUBAI, U.A.E - Playground flooring

-K.G. KIDS SCHOOL - AALI, BAHRAIN - Playground flooring

-SABIC BEACH CAMPS PROJECT - JUBAIL, K.S.A - Outdoor sports flooring, artificial grass.

-MINISTRY OF EDUCATION, MIZHER GIRLS SCHOOL - DUBAI, U.A.E - Playground flooring

-WARSAN STABLE - Polyurethane flooring, POLTRACK EQUESTRIAN FLOORING

-AL SHIMAL PARK - DOHA, QATAR - Playground flooring

-UM SELAL PARK - DOHA, QATAR - Playground flooring

-GEMS METROPOLE SCHOOL - DUBAI, U.A.E - Hard court system/Outdoor Multipurpose court

-ARABIAN RANCHES by EMAR - DUBAI, U.A.E - Acrylic Outdoor Tennis and Basketball courts

-RAK MODERN SCHOOL - RAS AL KHAIMAH, U.A.E - Flexfloor system

-GIIS/GLOBAL INDIAN INTERNATIONAL SCHOOL - RAS AL KHAIMAH, U.A.E - Acrylic system

-AVALON HEIGHTS - AJMAN, U.A.E - Acrylic floorings

-DELHI PRIVATE SCHOOL - DUBAI, U.A.E - Acrylic flooring

-ROYAL COMMISSION SCHOOL - JUBALI, KSA - Acrylic sports flooring



**-FITNESS TIME PRO - AL AHSA BRANCH - KSA** - Flexfloor, Basketball court  
**-FITNESS TIME PRO - MAKKAH SHARAIE - KSA** - Flexfloor, Basketball court  
**-BIN HAM - AL AIN, UAE** - Polyurethane flooring  
**-SHAMMA BINT MOHAMMED SHOOL - AL AIN, UAE** - Polyurethane flooring  
**-ABDULLAH BIN OTAIBA - ABU DHABI, UAE** - Polyurethane flooring  
**-LIWA INTERNATIONAL SCHOOL - AL AIN, U.A.E** - Colorflex outdoor sport system  
**-ZOHOUR KG - MANAMA, BAHRAIN** - Polyurethane sports flooring  
**-RAWDA RASHED - QATAR**- Polyurethane, outdoor sport flooring  
**-SAAD BIN ABI WAQAS SCHOOL - AL RAYYAN, QATAR** - Polyurethane, outdoor sport flooring  
**-FITNESS TIME PRO - MADINS RING ROAD BRANCH - KSA** - Flexfloor, Basketball court  
**-AGRA CHAIN - AGRA, INDIA** - Acrylic sports flooring  
**-SUNWORLD - NOIDA, INDIA** - Acrylic sports flooring  
**-SSN INVESTMENTS PRIVATE LIMITED, FRIENDS COLONY - DELHI, INDIA** - Acrylic sports flooring  
**-AJNARA - NOIDA, INDIA** - Acrylic sports flooring  
**-BRIGHT RIDERS SCHOOL - ABU DHABI, UAE** - Running track, Acrylic sports court  
**-OUR OWN ENGLISH HIGH SCHOOL - SHARJAH, U.A.E** - Poltrack Spaycoat system  
**-NCC - JAIS, INDIA** - Acrylic sports flooring  
**-ALPHA FOUNDATION FOR EDUCATION & RESEARCH - TRICHIRAPALLI, INDIA** - Acrylic sports flooring  
**-PUSHPANJALI FARMS - NEW DELHI, INDIA** - Acrylic sports flooring  
**-M3M - MERLIN GURGAON, INDIA** - Acrylic sports flooring  
**-NORTH LONDON COLLEGIATE SCHOOL - DUBAI, U.A.E** - Playground flooring  
**-FOOT COURT - EGYPT** - Running track, POLTRACK SPRAYCOAT system  
**-FITNESS TIME ANDALUS BRANCH - JEDDAH, K.S.A** - Acrylic sports flooring, FLEXFLOOR SYSTEM  
**-ST.JOSEPHS WOMENS COLLEGE - ALLEPPEY, KERALA, INDIA** - Polyurethane outdoor sports flooring  
**-RAILWAY SPORTS GROUND - GUNTAKAL, ANDRA PRADESH, INDIA** - Acrylic sports flooring  
**-TERVEL PROJECT - TERVEL, BULGARIA** - Playground flooring, SAFEPOL system  
**-INDOOR COURT - UKRAINE** - Polyflex PU-In system  
**-PRIVATE JOB - HYDERABAD, SOUTH INDIA** - Acrylic outdoor sports flooring  
**-RAILWAY SPORTS GROUND -GUNTAKAL, ANDRA PRADESH, INDIA**-Acrylic outdoor sports flooring, 5 layers  
**-VARIOUS PLAYGROUND PROJECTS IN ABU DHABI - U.A.E** - SAFEPOL MULTICOLOR system  
**-POLYURETHANE OUTDOOR SPORTS COURT - QATAR** - POLYFLEX PU-EX system  
**-QASR AL SARAB DESERT RESORT - ABU DHABI, U.A.E** - SAFEPOL MULTICOLOR  
**-SPORTS CENTER IN HANOI - VIETNAM** - POLYFLEX PU-IN  
**-NIELSON BUKA RESORT - KALAMATA, GREECE** - FLEXFLOOR-EX  
**-PARALYMPICS FEDERATION SPORTS CENTER - CAMBODIA** - POLYFLEX PU-IN system  
**-MINISTRY OF EDUCATION U.A.E** - Playground flooring  
**-PLAYGROUND FLOORING - VARNA, BULGARIA** - SAFEPOL System  
**-INDIAN ARMY - SHAHJAHANPUR, INDIA** - Acrylic sports courts, FLEXFLOOR-EX system  
**-AIR FORCE SCHOOL - BENGALURU, INDIA** - Acrylic sports courts, FLEXFLOOR-EX system  
**-ARMY PUBLIC SCHOOL - UDHAMPUR, INDIA** - Acrylic sports courts, FLEXFLOOR-EX system  
**-BAHRAIN ROYAL EQUESTRIAN AND ENDURANCE FEDERATION - BAHRAIN** - PU Equestrian system  
**-PLAYGROUND PROJECT - HONG KONG** - SAFEPOL MULTICOLOR system  
**-PLAYGROUND PROJECT - KOSOVO** - SAFEPOL MULTICOLOR system  
**-KIND SAUDI UNIVERSITY - RIYADAH, K.S.A** - Running track, POLTRACK SPRAYCOAT ASYSTEM  
**-TENNIS COURT IN MYKONOS, GREECE** - Acrylic sports courts, POLYFLEX AEL-EX system

- TENNIS COURT PROJECT - PAKISTAN** - Acrylic sports courts, SPORTFLOOR-EX-R system
- SHENZHEN CITY VALLEY - CHINA** - Acrylic sports courts
- QAYYUM STADIUM PESHAWAR - INDIA** - Polyurethane flooring POLYFLEX PU-IN
- PLAYGROUND FLOORING IN CYPRUS** - SAFEPOL MULTICOLOR system
- PLAYGROUND FLOORING - PRNJAVOR, BOSNIA & HERZEGOVINA** - SAFEPOL MULTICOLOR system
- BASKETBALL & BADMINTON COURTS-ASHIANA DAKSH-INDIA**-Polyurethane flooring POLYFLEX PU-EX
- BASKETBALL & BADMINTON COURTS-ASHIANA UMANG-INDIA**-Polyurethane flooring POLYFLEX PU-EX
- MULTIPURPOSE COURT - GUATEMALA** - POLYFLEX AEL-EX-R
- PLAYGROUND PROJECT - K.S.A** - SAFEPOL MULTICOLOR
- PLAYGROUND PROJECT IN JUBAIL - K.S.A** - SAFEPOL MULTICOLOR
- REPTON SCHOOL - DUBAI, U.A.E** - SAFEPOL MULTICOLOR
- PLAYGROUND PROJECT IN TEL AVIV - ISRAEL** - SAFEPOL MULTICOLOR
- PLAYGROUND PROJECT IN RISHON LEZION - ISRAEL** - SAFEPOL MULTICOLOR
- PLAYGROUND PROJECT IN ILION - ATHENS,ISRAEL** - SAFEPOL MULTICOLOR
- PLAYGROUND PROJECT WATERFORIN OF SAN ANTONIO - CHILE** - SAFEPOL MULTICOLOR