

COLORED QUARZ SAND

GENERAL CHARACTERISTICS

COLOR SAND 860 is:

- Coloured quartz sand which is characterised by his high SiO₂ content
- Due to the absence of pyrite in the raw material, there will be no bleeding of rust
- Coloured with inorganic/organic pigments and coated with a PUR-Resin (cured)
- **COLOR SAND 860** is very light and has a wide range of colours

EXAMPLES OF APPLICATION

- Decorative floorings, stone carpets,
- Plastering (indoor/outdoor use)
- Wall plastering (indoor/outdoor use)

TYPICAL VALUES

PHYSICAL PROPERTIES

- Humidity < 1 wt-%
- Specific density 2,63 g/ml
- Bulk density 1,6 g/ml

GRAIN SIZES RANGE

Examples: 1,0 mm to 1,8 mm, 0,6 mm to 1,2 mm, 0,1 mm to 0,6 mm, 0,3 mm to 0,8 mm, 1,6 mm to 2,5 mm, 0,063 mm to 0,3 mm

* Grain size distribution on request

PACKAGING

Paper bags of 25 kg as well as Big Bags of 1.500 kg .

REMARKS

The products are natural which may be blended or modified with synthetic products. All the available data/values are approximate. The products should be checked for suitability and tolerance for the specific purposes/applications intended each time due to natural fluctuations occurring in such products.

The information given here is true, represents our best knowledge and is based not only on laboratory work, but also on field experience. However, because of numerous factors affecting results we offer this information without any guarantee and no patent liability is assumed. For additional information or questions, contact the technical department of KDF LTD.